

#### **TEXTE DES**

**CONDITIONS OF SERVICE, APRIL 1, 2019 EDITION** 

SUIVANT LA DÉCISION D-2019-027 RENDUE PAR LA RÉGIE DE L'ÉNERGIE LE 5 MARS 2019

Original : 2019-03-12 HQD-18, document 5.2 En liasse

#### Hydro-Québec's conditions of service for its electricity distribution activities, April 1, 2019 edition

Approved by the Régie de l'énergie in its decision D-2019-XXX

The Régie de l'énergie has exclusive jurisdiction to establish or modify Hydro-Québec's conditions of service following public hearings. For more information about its role and mission, please see its Web site at www.regie-energie.qc.ca/en. The Act respecting the Régie de l'énergie can also be consulted at www.legisquebec.gouv.qc.ca/en/ShowDoc/cs/R-6.01.

This edition of the *Conditions of Service* replaces the *Conditions of Service* effective as of April 1, 2018, under Régie de l'énergie decision D-2018-015.

Use of the word "you" to designate the *customer* is solely meant to facilitate the reading of this text.

If you disagree with Hydro-Québec's application of the provisions in this document, you may file a complaint according to the procedure established by Hydro-Québec and approved by the Régie de l'énergie in decision D-2018-172 of November 26, 2018, docket R-3964-2016. If you disagree with Hydro-Québec's decision regarding your complaint, you may ask the Régie de l'énergie for a review under Chapter 7 of the *Act respecting the Régie de l'énergie* (sections 86 to 101).

The complaint examination procedures are enclosed with these *Conditions of Service*.

In this document, all costs and charges are shown in quotation marks and presented in Chapter 20, while terms in italics are defined in Chapter 21. A PDF version of this document and the complaint examination procedures can be found on the Hydro-Québec Web site at www.hydroquebec.com/conditions-electricity.

### Table of Contents

#### PART I – GENERAL PROVISIONS

СНАРТЕ	ER 1	
Scope	e of Application	9
1.1	Scope of application	9
1.2	Request for high-voltage or medium-voltage supply when current exceeds 260 A	
PART II	- ELECTRICITY SERVICE CONTRACT	
СНАРТЕ	ER 2	
Electri	city Service Request	11
2.1	Electricity service request	11
2.2	Start of contract	12
2.3	No use of electricity without contract	12
2.4	Multiple customers responsible for a single contract	12
СНАРТЕ	ER 3	
Meteri	ing of Electricity	12
3.1	Metering equipment supplied by Hydro-Québec	12
3.2	Metering by a non-communicating meter	12
	3.2.1 Request for a non-communicating meter	12
	3.2.2 Installation of a communicating meter during the term of the contract	14
	3.2.3 Request for a communicating meter	14
CHAPTE		
Billing		14
4.1	Consumption data used to establish your bill	
	4.1.1 Collection of consumption data	
	4.1.2 Billing based on an estimate of consumption	
4.2	Sending of bills	
	4.2.1 Frequency	
	4.2.2 Late billing	16

4.3	Bill payment and charges for non-payment or insufficient funds	16
	4.3.1 Amount payable and due date	16
	4.3.2 Responsibility for bill payment	16
	4.3.3 Accepted payment methods	17
	4.3.4 Non-payment	17
	4.3.5 Insufficient funds	18
4.4	4 Billing under the Equalized Payments Plan	18
4.5	5 Correction of billing errors	19
СНАРТ	TER 5	
Termi	ination of Contract	21
5.1	1 Terms and conditions of contract termination	21
	5.1.1 Termination by the person responsible for the contract	21
	5.1.2 Termination of contract by Hydro-Québec	22
5.2	2 Terms and conditions for continuous electricity service	22
	5.2.1 Continuation or interruption of electricity service at building owner's request	22
5.3	3 Interruption of electricity service at the owner's request	24
СНАРТ	TER 6	
Secur	rity Deposit	24
6.1	1 Situations in which Hydro-Québec may require a deposit	24
•	6.1.1 Deposit for domestic-use contracts	
	6.1.2 Deposit for non-domestic-use contracts	
	6.1.2.1 Credit risk assessment for non-domestic use contracts	
	6.1.3 Deposit required if service is interrupted for non-payment	25
6.2		
6.3	•	
6.4	·	
6.5		
СНАРТ	ΓER 7	
Servi	ce Interruption and Restoration	27
7.1	Refusal or interruption of service by Hydro-Québec	27
	7.1.1 Interruption of service without notice	
	7.1.2 Service interruption with notice	
	7.1.3 Continuation or restoration of service during winter period	28
7.2		
-	7.2.1 Overdue notice	
	7.2.2 Notice of interruption of electricity service	
	7.2.3 Notice given where access to Hydro-Québec's equipment is controlled by a third party or if the interruption affects other customers scheduled to undergo a voltage conversi	,
7 3		29

#### PART III - CONNECTION REQUESTS

СНАРТЕ	R 8		
Submi	ission	of Connection Request and Determination	
of Wo	rk Incl	uded in Basic Service	31
8.1	Conn	ection request	31
8.2	Crite	ria for application of basic service to distribution service loop	32
	8.2.1	Cases in which basic service is applicable to the distribution service loop	32
	8.2.2	Items included in basic service for a distribution service loop	33
	8.2.3	Method for determining the length of the distribution service loop	33
	8.2.4	Cases in which the distribution service loop is not provided	33
	8.2.5	Cases in which the connection is provided by the customer (service entrance)	34
8.3	Crite	ria for application of basic service to a distribution line extension	34
	8.3.1	Extension of an overhead distribution line (request for supply of less than 5 MVA including installed load)	34
	8.3.2	Extension of an underground distribution line (request for supply of less than 5 MVA including installed load)	35
8.4	Crite	ia for application of basic service to a distribution line modification	35
	8.4.1	Modification of an overhead distribution line (request for supply of less than 5 MVA including installed load)	35
	8.4.2	Modification of an underground distribution line (request for supply of less than 5 MVA including installed load)	36
8.5	Secui	ring of the power distribution system	36
СНАРТЕ	ER 9		
Calcul	ation	of the Amount to Be Paid for Work Not Included in Basic Service	36
9.1	Meth	ods for calculating the cost of work	36
	9.1.1	Additional costs and charges	37
	9.1.2	Application of the detailed cost-of-work calculation	37
9.2	Calcu	lation of amount to pay for work on a distribution service loop	38
	9.2.1	Overhead distribution service loop	38
	9.2.2	Underground distribution service loop	38
9.3	Calcu	lation of amount to pay for modification of a distribution service looplation	38
	9.3.1	Modification, relocation or replacement of an overhead distribution service loop	
	9.3.2	Modification, relocation or replacement of an underground distribution service loop	39
9.4	Calcu	lation of amount to pay for distribution line extension	39
	9.4.1	Overhead distribution line extension	39
	9.4.2	Extension of an underground distribution line for a residential project where transformers and disconnect switches are not underground	40
	9.4.3	Underground distribution line extension for any other project	
9.5	Calcu	lation of amount to pay for distribution line modification	
	9.5.1	Overhead distribution line modification	
	952	Underground distribution line modification	42

9.6	Calculation of amount to pay for distribution line relocation	42
9.7	Other amounts to pay	42
	9.7.1 Cost of medium-voltage metering equipment for a small-power inst	allation42
	9.7.2 Optional equipment and backup line	42
	9.7.3 Service for power demand less than 2 kW	43
	9.7.3.1 Billing demand less than 2 kW	43
	9.7.4 Temporary supply	44
	9.7.5 Special charge for connecting to an off-grid system	44
	9.7.6 Securing of the power distribution system	44
CHAPTE	ER 10	
Process	ssing of Connection Requests	44
10.1	Processing of a connection request according to the work to be done	<u> </u>
	10.1.1 Flat-fee work	44
	10.1.2 Minor work	45
	10.1.3 Major work	46
	10.1.4 Prices applicable	47
	10.1.5 Terms of payment	47
	10.1.6 Withdrawal of a connection request	48
10.2	2 Customer's commitments for a demand of less than 5 MVA including	installed load49
10.3	Financial guarantee for a demand of 1,000 kW or more supplied at m	edium voltage49
10.4	Refund for addition of an electrical installation on a distribution line.	50
10.5	5 Joint-use credit	51
PART IV	/ – RIGHTS AND OBLIGATIONS OF HYDRO-QUÉBEC AND ITS CU	STOMERS
CHAPTE	ER 11	
Comm	nunication of Information	53
11.1	Information on conditions of service	53
11.2	2 Means of communication between Hydro-Québec and its customers	53
11.3		
11.4		
11.5		
	5 Hydro-Québec obligation regarding promotional activities	

CHAPTE	R 12	
Quality	and Continuity of Service	55
12.1	Operation of the power distribution system	55
12.2	Limited liability of Hydro-Québec	55
12.3	Protection against electrical incidents	55
12.4	No guarantee	55
СНАРТЕ	R 13	
Use of	Electricity and Connection of Equipment and Appliances	56
13.1	Resale of electricity	56
13.2	Inappropriate use of electricity	56
13.3	Interfering with Hydro-Québec equipment	56
13.4	Tampering with the electrical installation or metering equipment	56
13.5	Hydro-Québec use of customer telecommunications circuits	56
13.6	Metering points	
	13.6.1 Separate service contract and metering for each delivery point	
	13.6.2 Overall metering in a building	
	13.6.3 Metering of electricity in apartment buildings, community residences and rooming houses	
13.7	Metering equipment supplied by Hydro-Québec	
	Customer's instrument transformers	
13.9	Actions requiring prior authorization	58
CHAPTE	R 14	
Owner	ship of Facilities and Equipment and Right of Access	58
14.1	Ownership of facilities and equipment	58
	Installation of equipment	
	Hydro-Québec access to its equipment	
14.4	Compliance with clearance standards	60
14.5	Safety of persons and property	60
DARTY	TECHNICAL SPECIFICATIONS	
PAKIV	- TECHNICAL SPECIFICATIONS	
CHAPTE		
	of Supply	
15.1	Delivery of electricity by Hydro-Québec	
	15.1.1 Frequency and voltage	
	15.1.2 Limitations and conditions of supply	
	15.1.3 Supply directly from the distribution line or from a distributing substation	
	15.1.4 Use of distributing substation	bl

15.2	Technical requirements	62
	15.2.1 Customer's electrical installation	62
	15.2.2 Review of available power authorized	62
	15.2.3 Supply from more than one distribution line	62
	15.2.4 Supply from a medium-voltage underground distribution line	62
	15.2.5 Protection for backup generator	63
	15.2.6 Connection of generating equipment	63
	15.2.7 Coordination of protective equipment	63
	15.2.8 Customer obligations regarding power factor	63
	15.2.9 Customer obligations regarding inrush current	64
15.3	Excessive current demand	64
CHAPTE	R 16	
Supply	<sup>,</sup> Voltages	65
16.1	Low voltage	65
	16.1.1 Supply voltages available	65
	16.1.2 Conversion of 3-wire 600 V	65
16.2	Medium-voltage supply	65
	16.2.1 Maximum allowed current for three-phase supply at medium voltagevoltage	65
	16.2.2 Equipment installed for conversion to 25-kV supply	65
	16.2.3 Conversion of supply voltage to 25 kV	66
PART VI	- LARGE-POWER CUSTOMERS	
CHAPTE	R 17	
Credit	Risk for Large-Power Customers	69
17.1	Application	69
17.2	Establishment of customer's credit risk	69
	17.2.1 Risk level based on credit ratings	69
	17.2.2 Risk level based on score assigned by Hydro-Québec	70
	17.2.3 Review of score assigned by Hydro-Québec	70
17.3	Particular terms and conditions for risky or high-risk contracts	71
	17.3.1 Notice to customer	
	17.3.2 Payment period for a risky contract	71
	17.3.3 Deposit or payment guarantee	71
	17.3.4 Payment frequency for a high-risk contract	72
	17.3.5 Termination of special terms and conditions	72

CHAPTE	R 18	
Hydro-	Québec Credit Risk Assessment Criteria	72
18.1	Method used by Hydro-Québec to determine credit score	72
	18.1.1 Scorecard used by Hydro-Québec to establish the credit score	72
	18.1.2 Definitions of assessment criteria	74
CHAPTE	R 19	
Types of	of Supply for Large-Power Customers	76
19.1	Connection request for 5 MVA or more, including installed load, at medium voltage	76
	19.1.1 Overhead service	76
	19.1.2 Underground service	76
19.2	Customer commitments for 5 MVA or more, including installed load, at medium voltage	77
DA DT VI	I – COSTS AND CHARGES RELATED TO ELECTRICITY SERVICE	
PANI VI	I - COSTS AND CHARGES RELATED TO ELECTRICITY SERVICE	
CHAPTE		
Costs a	nd Charges	79
20.1	General Charges, Flat-Fee Work Prices and Special Metering Charges	79
	Table I-A – General Charges	79
	Table I-B – Prices for Flat-Fee Work	
	Table I-C – Special Metering Charges	81
20.2	Prices for Major and Minor Work – System Extension and Modification	81
	Table II-A – Prices for Overhead Service Loops	81
	Table II-B – Price per Metre for Overhead Line Extension	82
	Table II-C – Prices for Overhead Work	83
	Table II-D – Prices for Overhead Equipment	84
	Table II-E – Unit Prices for Underground Service for Residential Projects	85
	Table II-F – Prices for Cable Work for Low-Voltage Underground Service Loops	86
	Table II-G – Prices for Risers	86
	Table II-H – Prices for Assembly of an Underground Cable Section – Cable Pulling and Splicing	
	Table II-I – Price per Metre of Underground Cable	
	Table II-J – Prices for Underground Transformers	
	Table II-K – Prices for Underground Switchgear	
	Table II-L – Prices for Temporary Supply	
	Table II-M – Allowances, Rates and Prospective Cost of Capital	93

#### PART VIII - TERMINOLOGY AND APPLICABLE UNITS OF MEASUREMENT

CHAPTER 21	
Definitions, Interpretation and Units of Measurement	95
21.1 Definitions and interpretation	95
21.2 Units of measurement	101
SCHEDULES, ILLUSTRATION AND INDEX	
Schedule I Information Required from the Customer	103
Schedule II Public Bodies and Financial Institutions	105
Schedule III Supply Voltage Conversion	106
Schedule IV Calculation of Cost of Work	108
Schedule V  Calculation of Prices for Extension or Modification of an Underground Distribution Line	110
Illustration The single-phase overhead power distribution system and its components	114
Index	115

General Provisions

#### **CHAPTER 1**

### Scope of Application

#### 1.1 Scope of application

The provisions contained herein establish Hydro-Québec's conditions of service.

These conditions apply to all *customers* of Hydro-Québec. However, they do not apply to *electricity service* exceeding 1,000 kVA from an *off-grid system*.

Unless explicitly stated otherwise, these conditions of service apply to:

- a) any contract in effect as at April 1, 2019, or entered into on or after April 1, 2019; and
- b) any request for modification or other work on Hydro-Québec equipment received on or after April 1, 2019; and
- c) any connection request where the contribution agreement, the proposal for minor work or the agreement for major work was signed after March 31, 2019.

#### 1.2 Request for high-voltage or medium-voltage supply when current exceeds 260 A

These conditions of service apply to *connection requests* for *high-voltage* or *medium-voltage electrical installations* when the current exceeds 260 A, with the necessary adjustments.

Before the work begins, you must enter into a written agreement with Hydro-Québec that states the applicable conditions, in particular:

- a) the anticipated date on which service to your electrical installation will first be established;
- b) a description of the work to be done by Hydro-Québec and the related options;
- c) your financial contribution and the terms of payment;
- d) your power commitment;
- e) the financial guarantees you will provide;
- f) conditions regarding postponement or withdrawal of your connection request.

The financial guarantees required by Hydro-Québec must be sufficient to cover the allowance granted in return for a consumption commitment on your part, plus taxes.

Electricity Service Contract

#### **CHAPTER 2**

### Electricity Service Request

#### 2.1 Electricity service request

To receive *electricity service*, you must submit a *service request* to Hydro-Québec. This request, which may also be submitted by your duly authorized representative, will establish the characteristics of the *contract* for which you will be responsible. Here are the steps to follow:

#### a) In all cases, you may send your request in writing. b) You may also apply by phone if all of the following conditions are met: Request in writing or by telephone • the service contract is at a domestic rate or the small-power rate; • the service contract is for an existing electrical installation. Your service request must include the mandatory information prescribed in Mandatory Schedule I. If you do not provide this information or if you provide incorrect information information, Hydro-Québec may deny your request. a) If you submit your service request using one of Hydro-Québec's self-service options, you will not be charged any fees. **Applicable** b) If you submit your service request by any other means, the \$25 "contract charges administration charge," indicated in Table I-A, Chapter 20, will be charged to you once your service request has been accepted.

# If your request is accepted: a) Hydro-Québec sends you written confirmation of the principal characteristics of your contract. You must check this information and immediately notify Hydro-Québec of any corrections needed under Section 11.3. b) You must fulfill the obligations set out in these conditions of service and in the Rates.

When you submit a *service request*, Hydro-Québec may require you to provide a deposit. The criteria for application of a deposit are presented in Chapter 6.

#### 2.2 Start of contract

Electricity consumed is billed to you from the start of your contract, that is:

- a) the date you agreed on with Hydro-Québec; or
- b) the date on which service is first established, in the case of a new *electrical installation*.

#### 2.3 No use of electricity without contract

Whether you are the occupant, tenant, owner or administrator of the *service address*, you may not use the electricity delivered to that address without a *contract*. If you do, you have the same obligations as a *customer*, you must comply with the obligations set out in these conditions of service and in the *Rates*, and Hydro-Québec may require that you pay the cost of electricity consumed, in addition to any applicable charges.

#### 2.4 Multiple customers responsible for a single contract

Multiple customers may be responsible for a single contract, subject to the following conditions:

- a) To add an additional customer to an existing contract, you must submit a new service request.
- b) If one of the *customers* wishes to withdraw from the *contract*, Hydro-Québec must be notified. The *contract* then continues, with the necessary adjustments, for the other *customer(s)* responsible, and Hydro-Québec sends a notice to each of them *in writing*.

**CHAPTER 3** 

### Metering of Electricity

#### 3.1 Metering equipment supplied by Hydro-Québec

Electricity delivered to you is metered by *metering equipment* chosen, supplied and installed by Hydro-Québec. The *communicating meter* is Hydro-Québec's standard metering option.

#### 3.2 Metering by a non-communicating meter

#### 3.2.1 Request for a non-communicating meter

You may submit a request for a *non-communicating meter* at any time, whether at the time of submitting your *service request* or later during the term of your *contract*. Such *meters* require manual reading, for which the conditions are described in Section 4.1.

Your request for a *non-communicating meter* will be accepted if all of the following prior conditions are met:

- a) The *electrical installation* at the *service address* must be single-phase and rated 400 A or less.
- b) There must have been no billing of demand for the *contract* in the previous 12 monthly periods.
- c) You must have taken the necessary steps and obtained the necessary authorizations enabling Hydro-Québec to access the property for the reasons and under the conditions stated in Section 14.3.

# d) If an interruption of service notice under any of paragraphs (a) to (d) of Section 7.1.2 was sent to you in the 45 *days* preceding your request, you must have entered into a *payment arrangement* with Hydro-Québec or have entirely remedied the situation that led to the notice, as the case may be.

- e) Hydro-Québec must not have interrupted your service during the past 24 months under any of paragraphs (a) to (d) of Section 7.1.2 for any of your *contracts*.
- f) There must not have been any tampering with metering equipment or any other Hydro-Québec equipment and electricity service must not have been impeded in the past 24 months for any of your contracts.

# Initial installation charge

**Conditions** 

You will be billed the \$85 "initial installation charge" indicated in Table I-A, Chapter 20, for installation of the requested *non-communicating meter*. This charge applies for each *non-communicating meter* to be installed.

If a non-communicating meter is already in place at the time of your request, you do not have to pay the "initial installation charge" and Hydro-Québec will maintain the non-communicating meter until the end of your contract unless, during the term of your contract, you submit a request for a communicating meter.

# Subsequent monthly charge

Once the *non-communicating meter* is installed, you must pay the "monthly *meter* reading charge" of \$2.50 per *month*, as indicated in Table I-A, Chapter 20, until such time as the *meter* is replaced by a *communicating meter*.

#### 3.2.2 Installation of a communicating meter during the term of the contract

During the term of the contract, Hydro-Québec may install a communicating meter in the following situations:

Interruption of electricity service	If Hydro-Québec has interrupted your <i>electricity service</i> in the past 24 <i>months</i> under any of paragraphs (a) to (d) of Section 7.1.2 for a <i>contract</i> for which you are responsible, Hydro-Québec may, with no further notice, install <i>communicating meters</i> at all <i>delivery points</i> covered by your <i>contracts</i> .
<i>Meter</i> tampering	If the <i>metering equipment</i> or any other Hydro-Québec equipment has been tampered with or if <i>electricity service</i> has been impeded in the past 24 <i>months</i> for a <i>contract</i> for which you are responsible, Hydro-Québec may, with no further notice, install a <i>communicating meter</i> at all <i>delivery points</i> covered by your <i>contracts</i> .
Billing of demand	If there is billing of demand according to the threshold stipulated in the <i>Rates</i> during a given <i>consumption period</i> , Hydro-Québec will notify you <i>in writing</i> that you are no longer eligible for the <i>non-communicating meter</i> . Hydro-Québec may then, without further notice, install a <i>communicating meter</i> at the <i>delivery point</i> in question.

In all of these situations, the "monthly meter reading charge" no longer applies.

#### 3.2.3 Request for a communicating meter

If your service address is equipped with a non-communicating meter, you may at any time ask Hydro-Québec to install a communicating meter at no charge. The "monthly meter reading charge" then no longer applies.

**CHAPTER 4** 

# Billing

#### 4.1 Consumption data used to establish your bill

#### 4.1.1 Collection of consumption data

To calculate your bill, Hydro-Québec collects consumption data from your *meter* as follows:

a) If your *service address* is equipped with a *communicating meter*, the data are obtained according to the billing frequency indicated in Section 4.2.1, unless you are enrolled in the Equalized Payments Plan described in Section 4.4.

- b) If your service address is equipped with a communicating meter and you are enrolled in the Equalized Payments Plan described in Section 4.4, the consumption data are obtained as follows:
  - about once every 60 days if your contract is at a rate under which only energy consumption is billed;
  - about every 30 days if your contract is at a rate under which both energy consumption and power demand are billed.
- c) If the meter at your service address requires an employee to go to your premises to read the meter, the minimum travel frequency is as follows:
  - at least once a year if only energy is billed;
  - about every 30 days if both energy consumption and power demand are billed;
  - at least once a year if the *electrical installation* is remote or difficult to access;
  - there is no minimum frequency if the meter is inaccessible or Hydro-Québec does not have the accesses provided for in Section 14.3.

If your contract is at a rate where only energy is billed, you may take the meter reading yourself and send it to Hydro-Québec for use in preparing your bill. A Hydro-Québec employee will nevertheless come to your location at least once a year to read the *meter*.

#### 4.1.2 Billing based on an estimate of consumption

Actual consumption data unavailable	If your actual consumption data are not available on the billing <i>day</i> , Hydro-Qué prepares your bill based on an estimate. It then applies any necessary adjustme to a subsequent bill after obtaining your actual consumption data.				
<i>Meter</i> inaccessible	If Hydro-Québec does not have access to the <i>meter</i> in accordance with Section 14.3, billing will be based on an estimate until Hydro-Québec is able to obtain the consumption data by taking the <i>meter</i> reading.				
How your consumption is estimated	If Hydro-Québec has to estimate your <i>energy</i> consumption or power demand, one of the following will be used:				
	<ul><li>a) past consumption at that service address;</li><li>b) an inventory of your electrical appliances and/or equipment, and estimates of their average use;</li></ul>				
	<ul><li>c) data from metering tests conducted by Hydro-Québec;</li><li>d) any other means or combination of means for establishing or estimating your <i>energy</i> consumption or power demand.</li></ul>				

#### 4.2 Sending of bills

#### 4.2.1 Frequency

Hydro-Québec sends you bills as follows:

- a) About once every 30 days:
  - if you are enrolled in the Equalized Payments Plan described in Section 4.4; or
  - if your contract is at a rate under which both energy consumption and power demand are billed; or
  - if your contract is at a flat rate.
- b) About once every 60 days:
  - if your *contract* is at a rate under which only *energy* consumption is billed and you are not enrolled in the Equalized Payments Plan described in Section 4.4.

#### 4.2.2 Late billing

If the interval between bills exceeds 90 days for a contract under which only energy consumption is billed, or 35 days for a contract under which both energy consumption and power demand are billed:

- a) Hydro-Québec will accept payment in 2 installments, 21 *days* apart, with no "administration charge." The first installment is due no later than 21 *days* after the billing date, and the second 21 *days* after the due date of the first installment; or
- b) Hydro-Québec may work out a payment arrangement with you, with no "administration charge."

#### 4.3 Bill payment and charges for non-payment or insufficient funds

#### 4.3.1 Amount payable and due date

When Hydro-Québec sends you a bill, the amount due must be paid in full, in Canadian dollars, no later than 21 *days* after the billing date.

You may not deduct from your bill an amount owed to you by Hydro-Québec or related to a claim which you have presented to or which you allege against Hydro-Québec.

#### 4.3.2 Responsibility for bill payment

As a customer, you are responsible for payment of the bills that Hydro-Québec sends you.

Where multiple persons are responsible for a single *contract*, each of these *customers* is responsible for payment of the bill in full. In the event of *non-payment*, Hydro-Québec may claim the amount due from any of the persons responsible for the *contract*.

#### 4.3.3 **Accepted payment methods**

You must pay your bill in one of the following ways: a) by mail directly to Hydro-Québec; b) online directly to Hydro-Québec; c) through one of the following authorized agents: • Canadian Imperial Bank of Commerce (CIBC); • Bank of Montreal (BMO); · Laurentian Bank of Canada; **Payment methods** • National Bank; • Royal Bank of Canada (RBC); • Bank of Nova Scotia (Scotiabank); • Toronto-Dominion Bank (TD-Canada Trust); • Fédération des Caisses Desjardins du Québec. Payment through a third party must be made by one of the methods mentioned above and must not give rise to any expense for Hydro-Québec. Your payment is considered made on the date on which it is received by Receipt of payment Hydro-Québec or by one of the authorized agents listed in this section,

#### 4.3.4 Non-payment

Applicable administration charge	ou do not pay a bill by its due date by one of the methods described in tion 4.3.1, your account is <i>in default</i> . An "administration charge" will then applied to the unpaid balance at the applicable rate indicated in Table I-A, apter 20, and in effect on the due date of your bill.			
Deposit requirement	If your account is <i>in default</i> , Hydro-Québec may ask you for a deposit. For more information on this topic, see Chapter 6.			
Possible interruption of electricity service	If your account is in default, Hydro-Québec may send you notices and your electricity service could be interrupted. For more information on this topic, see Chapter 7.			

as the case may be.

#### 4.3.5 Insufficient funds

If Hydro-Québec is advised that payment cannot be made because of insufficient funds, the \$10 "charge for insufficient funds" provided for in Table I-A, Chapter 20, will be applied. Such a circumstance can put your account in default.

#### 4.4 Billing under the Equalized Payments Plan

You may apply to enroll in the Equalized Payments Plan (EPP), which spreads your anticipated electricity costs over a year.

Eligibility	<ul> <li>Except large-power contracts, any contract is eligible for the Equalized Payments</li> <li>Plan if the following two conditions are met:</li> <li>a) There is a consumption history of about 11 consecutive months at the service address for which you want to be enrolled.</li> <li>b) Your account does not have a balance owing.</li> </ul>
	Hydro-Québec estimates your electricity cost for the following year and divides

Hydro-Québec estimates your electricity cost for the following year and divides it into 12 equal monthly installments, the amount of which is reviewed annually.

- a) Installment calculated at the time of enrollment in the Equalized Payments Plan: If you enroll between two annual reviews, your monthly installment will be based on the number of months remaining until the next annual review by Hydro-Québec.
- b) Annual review of your installment by Hydro-Québec:

# Calculation of monthly installment

After each period of 12 consecutive *months*, Hydro-Québec reviews your annual electricity cost based on your actual consumption. It uses this revision to determine the amount of the installments you will pay for the following 12 *months*.

c) Interim review by Hydro-Québec:

If Hydro-Québec expects a substantial discrepancy between the monthly installments billed to you and the cost of your actual consumption, it may perform an interim review between annual reviews, notably to take into account any rate adjustment.

d) Installment adjustment by the customer:

You can track your electricity consumption and adjust your installment from your Customer Space at any time. You can also call to request an adjustment.

By doing so, you can avoid having a balance to pay following your annual review.

#### Payment of a balance owed to Hydro-Québec

If you have a balance to pay following the annual review, Hydro-Québec:

- a) will agree to spread the balance out over 12 *months*, with no "administration charge";
- b) may also work out a payment arrangement with you.

### Cancellation

Your enrollment in the Equalized Payments Plan will be cancelled:

- a) at any time when you so request;
- b) when your contract ends.

In either case, when your enrollment in the Equalized Payments Plan is cancelled, you may have a balance payable or receivable.

Hydro-Québec may terminate your participation in the Equalized Payments Plan if you miss more than one installment.

#### 4.5 Correction of billing errors

If your electricity bill has to be corrected, the correction is applied retroactively from the date on which you report the situation or on which it is noticed by Hydro-Québec. The following conditions apply to bill corrections:

#### Reimbursement by Hydro-Québec of an amount overbilled to you

Except in cases of crossed *meters*, impediment to metering or *meter* tampering with intent to alter metering data, if the correction leads to reimbursement by Hydro-Québec of an amount overbilled to you, the correction period is established in one of the following ways:

- a) If the period in question can be established:
  - all periods concerned, if the error is related to metering or application of an erroneous multiplier;
  - a maximum of 36 months in all other cases.
- b) If the period in question cannot be established:
  - a maximum of 6 months.

The amount of the correction is credited to your account.

Interest is also credited to your account. The interest is calculated by Hydro-Québec at the National Bank prime rate in effect on the first business *day* of the *month* in which the amount is refunded.

Except in cases of crossed *meters*, impediment to metering or *meter* tampering with intent to alter metering data, if the correction results in payment of an additional amount to Hydro-Québec, the correction period is established in one of the following ways:

- a) If the period in question can be established:
  - all periods concerned, in the following cases:
    - it is determined that you were aware of the defect or error;
    - you have changed your electricity use without notifying Hydro-Québec, and consequently your contract is no longer eligible for the rate at which you were billed;
  - a maximum of 36 months if the error is related to metering or the application of an erroneous multiplier and if both energy consumption and power demand are billed:
  - a maximum of 12 months if both power demand and energy are billed;
  - a maximum of 6 months if only energy is billed;
- b) If the period in question cannot be established:
  - a maximum of 6 months.

The amount of the correction is charged to your account.

Hydro-Québec may make a payment arrangement with you for the amount resulting from the correction, with no administration charge.

#### Crossed meters

Billing of an

owed to

additional amount

Hydro-Québec

Meters are considered crossed when a service address is billed for electricity metered at a different address. In other words, a customer is billed for electricity used by another customer.

In the case of crossed *meters*, Hydro-Québec will make the necessary corrections to the bills of the affected customers for a maximum of 36 months. The amount of the correction is charged or credited to the account, as the case may be.

#### Impeding metering or meter tampering with intent to alter metering data

If Hydro-Québec notes that the electrical installation or metering equipment has been tampered with so as to alter or impede metering:

- a) the correction applies to all periods concerned;
- b) Hydro-Québec may work out a payment arrangement with you.

Exclusions	The following situations are not covered by this section:		
	<ul> <li>a) corrections resulting from estimates for billing purposes under Section 4.1.2, which provides for an adjustment to be made to a subsequent bill on the basis of actual consumption data;</li> </ul>		
	b) any review conducted under the Equalized Payments Plan (see Section 4.4);		
	c) electricity consumption in the absence of a <i>contract</i> ;		
	d) absence of billing within the timeframes set out by Hydro-Québec.		

#### **CHAPTER 5**

### Termination of Contract

#### 5.1 Terms and conditions of contract termination

Your *contract* ends when it is terminated at your request or following a decision by Hydro-Québec. The terms and conditions of termination are described in this section.

#### 5.1.1 Termination by the person responsible for the contract

	a) To terminate a <i>contract</i> at a <i>domestic rate</i> , at a <i>small-power</i> rate, or for tempora service, you must submit your request <i>in writing</i> or by phone.		
Request <i>in writing</i> or by telephone	In that case, your <i>contract</i> will end on the <i>day</i> your request is received, or on a later <i>day</i> that you choose and agree on with Hydro-Québec.		
	<ul> <li>For any other type of contract, you must submit your request to Hydro-Québec in writing. In that case, Hydro-Québec must be notified at least 30 days in advance.</li> </ul>		

# Denial of request for *contract* termination

- a) Hydro-Québec may deny your request for termination in the following cases:
  - You owe money to Hydro-Québec and continue to receive *electricity service* at a *service address* which is the subject of a *service request* or termination request.
  - The sole purpose of your request is to avoid application of a condition in the *Rates* or in these conditions of service.

#### 5.1.2 Termination of contract by Hydro-Québec

Hydro-Québec may terminate your *contract* when your *electricity service* is interrupted for more than 30 *days* in the cases described in Section 7.1 regarding refusal or interruption of service, except for cases stipulated in paragraphs (c) and (d) of Section 7.1.1 and in Section 7.1.3. You will then be notified *in writing*.

If you wish to become a *customer* once again for the same *service address*, you must submit a new *service request* and pay any amount owed to Hydro-Québec before you can have *electricity service*. In addition, you must pay the "contract administration charge" mentioned in Section 2.1, where applicable.

#### 5.2 Terms and conditions for continuous electricity service

If an existing *customer's contract* for a *service address* ends and is immediately followed by a new *contract* for the same *service address*, Hydro-Québec will continue *electricity service* to that *service address*.

If it is not immediately followed by a new *contract*, Hydro-Québec may cut off *electricity service* to that *service* address without notice.

#### 5.2.1 Continuation or interruption of electricity service at building owner's request

To take advantage of the provisions in this section, you must notify Hydro-Québec that you are the owner of one or more *service addresses* and provide the following information:

- a) the locations of the service addresses that you own;
- b) your contact information: name, address, main phone number and, if applicable, e-mail address and other phone numbers.

If you do not provide this information, and if a *customer's contract* for a *service address* owned by you ends without being immediately followed by a new one, Hydro-Québec may cut off the *electricity service* without notice.

You are bound by the information that you provide to Hydro-Québec and you are responsible for updating it. If you are no longer the owner of a *service address* but fail to notify Hydro-Québec, this section will continue to apply, subject to the conditions stated herein.

Any changes to your information made other than from your Customer Space will not take effect until they have been fully processed by Hydro-Québec.

This section also applies to *service addresses* and *buildings* for which Hydro-Québec had the contact information provided by you, as the owner, as at April 1, 2018.

# Continuous electricity service by default

If a tenant's *contract* is terminated, *electricity service* is maintained at the *service* address and the *contract* automatically reverts to you, without the "contract administration charge" indicated in Table I-A, Chapter 20.

Hydro-Québec sends you *written* confirmation of the main characteristics of the *contract*, as provided for in Section 2.1, and of the fact that you are now the *customer*.

If, following termination of the tenant's contract, you notify Hydro-Québec that you are no longer the owner of that service address, Hydro-Québec terminates your contract on a date agreed on with you. Failing such agreement, the contract is terminated as of the date on which you ceased to own the property. The new owner then becomes responsible for electricity service at that service address as of the day after the contract termination date, as provided for in Section 2.3, even if the new owner has not used the provisions of this section.

# Refusal of continuous electricity service

You may, however, refuse continuous *electricity service* in advance at the *service address* when a tenant's *contract* is terminated.

If you make this choice, Hydro-Québec may cut off service without notice.

# Changing your choice

You may change your choice regarding continuous *electricity service* through your Customer Space or by telephone.

You may at any time refuse continuous service in advance at all *service addresses* in a specific *building* or in all your *buildings*.

If you have refused continuous *electricity service* in advance, you may change your choice and request that *electricity service* be maintained. You then automatically become the *customer* when the tenant's *contract* is terminated. If you choose this option before the end of the tenant's *contract*, no charges apply.

If you request continuous *electricity service* and become the *customer* after termination of the tenant's *contract*, the \$25 "contract administration charge" will apply unless you submit your *service request* through one of Hydro-Québec's *self-service* options.

#### Exceptions to the general rule of continuous electricity service

When a tenant's *contract* is terminated, *electricity service* is not maintained and you do not automatically become the *customer* in the following cases:

- a) The *service address* is in a *building* for which you have refused continuous *electricity service* in advance; or
- b) You have refused continuous *electricity service* in advance for all your *buildings*.

In these two situations, Hydro-Québec may cut off the *electricity service* without notice.

#### 5.3 Interruption of electricity service at the owner's request

You may ask Hydro-Québec to interrupt *electricity service* at a *service address* if the following two conditions are met:

- a) You are the owner of the service address in question.
- b) You are responsible for *electricity service* at the *service address* at the time of the request.

If these two conditions are not met, you may not request interruption of electricity service.

When you request to have *electricity service* restored, you will have to pay the applicable "charge for work" stipulated in Table I-A, Chapter 20. You must also submit a new *service request* and pay the "contract administration charge" referred to in Section 2.1.

**CHAPTER 6** 

# Security Deposit

#### 6.1 Situations in which Hydro-Québec may require a deposit

#### 6.1.1 Deposit for domestic-use contracts

Hydro-Québec may determine that you are a financial risk and require a deposit for each of your *contracts* in any of the following cases:

- a) Hydro-Québec sent you an overdue notice under Section 7.2.1 because you were *in default* in the 24 *months* preceding the request for a deposit.
- b) You availed yourself of the provisions of the *Bankruptcy and Insolvency Act* (RSC, 1985, chapter B-3) in the 24 *months* preceding the request for a deposit.

#### 6.1.2 Deposit for non-domestic-use contracts

At the time of the service request	Hydro-Québec may require a deposit for each of your <i>contracts</i> unless you meet the following two conditions:  a) You have been responsible for one or more other <i>contracts</i> for at least 24 <i>months</i> at the time of the deposit request.		
	<ul> <li>b) You paid all bills for all said contracts by their due date throughout that 24-month period.</li> <li>No deposit is required if you are a government agency or a Schedule II financial institution, or if the contract is for a building covered by the Act respecting the mo</li> </ul>		
	of payment for electric and gas service in certain buildings (CQLR, chapter M-37).		

During the term of the <i>contract</i>	At any time, Hydro-Québec may require a deposit for each of your <i>contracts</i> in any of the following cases:	
	<ul> <li>a) In the 24 months preceding the date of the deposit request, you failed at least once to pay the electricity bill for a contract for which you are or were responsible by the due date.</li> </ul>	
	b) For 12 consecutive <i>months</i> in the last 24 <i>months</i> , the amount you were billed exceeded \$500,000 for all of your non-domestic-use <i>contracts</i> , and these <i>contracts</i> are regarded as <i>risky</i> or <i>high-risk</i> based on the credit risk assessment procedure described in Section 6.1.2.1.	
	Any deposit required by Hydro-Québec while a <i>contract</i> is in effect must be provided within 9 <i>days</i> of the date Hydro-Québec's <i>written</i> request was sent.	

#### 6.1.2.1 Credit risk assessment for non-domestic-use contracts

For your non-domestic-use contracts, credit risk is assessed as follows, in accordance with Section 6.1.2:

- a) Hydro-Québec sends you a *written* request for the financial information it needs to assess the level of risk you represent. Subject to all applicable laws, Hydro-Québec undertakes to keep all such information confidential.
  - You must provide this information within 30 days after Hydro-Québec's written request was sent; otherwise, all your contracts will be considered high-risk contracts.
- b) Hydro-Québec will assess your file as indicated in paragraph (b) of Section 17.2.2. If, in light of its assessment, Hydro-Québec considers that your *contracts* are *risky* or *high-risk*, then a deposit may be required.

If you disagree with Hydro-Québec's evaluation, you may request a review as provided for in Section 17.2.3.

#### 6.1.3 Deposit required if service is interrupted for non-payment

If *electricity service* at your *service address* was interrupted because your account was *in default*, Hydro-Québec may require a deposit for each of your *contracts*, in accordance with Section 7.2.2.

In that case, you must provide the deposit before your *electricity service* is restored. You must also pay the applicable "charge for work" set out in Table I-A, Chapter 20.

#### 6.2 Deposit amount and payment method

Hydro-Québec establishes the amount of the deposit to be paid for each contract as follows:

- a) Hydro-Québec estimates your probable consumption for the next 12 months.
- b) Based on this estimate, Hydro-Québec determines the period of 60 consecutive *days* during which the billing amount will be highest.
- c) The amount of the deposit will not exceed the amount that would be billable for that 60-day period.

You may provide the deposit either in cash or in the form of an irrevocable letter of quarantee.

#### 6.3 Interest on deposit

Cash deposits bear interest at the rate set on April 1 of each year for National Bank one-year guaranteed investment certificates.

Interest is calculated on March 31 of each year. It is payable by June 1 of each year.

#### 6.4 Use of deposit by Hydro-Québec

Hydro-Québec may use your deposit and the accrued interest to recover any amount due in the following cases:

- a) The *contract* for which you provided the deposit has ended.
- b) Electricity service for the contract for which you provided the deposit has been interrupted for non-payment.

Hydro-Québec will then return the unused balance of your deposit to you.

#### 6.5 Holding and reimbursement of deposit

Holding period	<ul> <li>a) In the case of a domestic-use contract, Hydro-Québec may hold your deposit for 24 months. If you are late in paying your electricity bill at least once during that period, Hydro-Québec may defer reimbursement of your deposit and continue to hold it for another 24 months.</li> <li>b) In the case of a non-domestic-use contract, Hydro-Québec may hold your deposit for 48 months.</li> <li>Hydro-Québec may defer reimbursement of your deposit and hold it for another period of up to 48 months if, in the last 24 months of this period, one of the following situations occurs:</li> <li>You are late in paying your electricity bill at least once;</li> <li>Your contract is still considered risky or high-risk.</li> </ul>				
Timeframe for refund	Your deposit will be refunded within 60 <i>days</i> following the end of the holding period.				
Refund conditions	When your deposit is refunded, interest is calculated up to the date of the refund and is payable on that date.  When Hydro-Québec refunds your deposit with accrued interest, it applies a credit to your account or, at your request, mails you a cheque.				

#### **CHAPTER 7**

### Service Interruption and Restoration

#### 7.1 Refusal or interruption of service by Hydro-Québec

Hydro-Québec may refuse or interrupt *electricity service* to a *service address* for the reasons mentioned in sections 7.1.1 and 7.1.2, except in the cases provided for in Section 20 of the *Act respecting the mode of payment for electric and gas service in certain buildings* (CQLR, chapter M-37).

#### 7.1.1 Interruption of service without notice

Hydro-Québec may refuse or interrupt *electricity service* in the following cases. No notice is sent before interruption.

- a) The service address is receiving electricity with no contract.
- b) The *electrical installation* has been connected to the *power distribution system* without Hydro-Québec's authorization.
- c) The safety of persons or property is at risk.
- d) A competent federal, provincial or municipal authority, including a police force or fire department, has requested or ordered interruption.
- e) The *metering equipment* or other Hydro-Québec equipment has been tampered with, or *electricity service* has been impeded, or Section 13.4 has been violated.

#### 7.1.2 Service interruption with notice

Hydro-Québec may refuse or interrupt *electricity service* in the following cases. A notice is sent before interruption.

- a) Your account is in default.
- b) Hydro-Québec's representatives are unable to access the company's equipment (Section 14.3).
- c) You have not provided the deposit or other guarantee required by Hydro-Québec.
- d) You have not provided Hydro-Québec with the mandatory information under these conditions of service or have provided wrong information.
- e) The *electrical installation* has not been approved or authorized by a competent authority pursuant to any applicable legislative or regulatory provision.
- f) Hydro-Québec is not authorized to install its equipment, including *metering equipment* and control apparatus, on the property serviced, or the rights and accesses required for sealing, metering and control have not been granted to Hydro-Québec.

- g) Your electricity use is non-compliant in terms of:
  - electricity resale (Section 13.1);
  - connection of appliances or equipment on the *line side* of Hydro-Québec's *metering equipment* (Section 13.8);
  - technical specifications of the *electrical installation* (Section 15.2.1);
  - available power (Section 15.2.2).
- h) The *electrical installation*, which includes any generating equipment connected and operated in parallel to the *power distribution system*, does not comply with the *technical requirements* set out in these conditions of service, or, despite Hydro-Québec's request, the causes of system disturbances have not been eliminated;
- i) The work required on your *electrical installation* to allow it to receive electricity according to the agreed mode of supply and to allow the voltage conversion on the scheduled date has not been carried out in accordance with sections 15.2.1 and 16.2.3.

#### 7.1.3 Continuation or restoration of service during winter period

From December 1 to March 31 inclusive, for a principal residence that you occupy and whose heating system requires electricity, if any of paragraphs 7.1.2 (a) to (d) apply to your situation, Hydro-Québec:

- a) does not interrupt electricity service or refuse to provide it;
- b) restores electricity service at your request. The charges provided for in Section 7.3 are assessed where applicable.

#### 7.2 Notices given prior to interruption of electricity service

Before interrupting service at a *service address* in the situations listed in Section 7.1.2, Hydro-Québec must send you the required notices.

#### 7.2.1 Overdue notice

If you fail to pay your bill by the due date and Hydro-Québec plans to interrupt your *electricity service*, you receive an overdue notice informing you of the possibility of interruption, as follows:

Domestic-use contract	The overdue notice is sent at least 16 <i>days</i> before the interruption notice provided for in Section 7.2.2.
Non-domestic-use contract	The overdue notice is sent at least 9 days before the interruption notice provided for in Section 7.2.2, unless you have a high-risk large-power contract, in which case no overdue notice is required.

#### 7.2.2 Notice of interruption of electricity service

When Hydro-Québec decides to interrupt *electricity service* in one of the situations listed in Section 7.1.2, it must send you an interruption notice. If you do not pay your bill by the due date, this notice is sent to you after the time specified in Section 7.2.1 has lapsed.

#### Interruption notice

Hydro-Québec must send you an interruption notice *in writing* at least 9 *days* before interrupting service.

# Validity of the interruption notice

The interruption notice is valid for 45 *days* from the date on which it is sent. Hydro-Québec is then authorized to interrupt your *electricity service* after the above-mentioned 9-*day* period has lapsed and up to 45 *days* after the date on which the notice is sent.

Before interrupting your *electricity service* for *non-payment*, Hydro-Québec offers you a *payment arrangement*, if you so request.

If your account is in default, Hydro-Québec may interrupt electricity service for all of your contracts.

# 7.2.3 Notice given where access to Hydro-Québec's equipment is controlled by a third party or if the interruption affects other customers scheduled to undergo a voltage conversion

If Hydro-Québec decides to interrupt your *electricity service* but cannot access its equipment in violation of Section 14.3, and access is controlled by a third party, it sends that third party a 30-*day* notice *in writing*, with a true copy to you, of its intention to interrupt your *electricity service*.

If Hydro-Québec decides to interrupt your *electricity service* because the work required on your *electrical installation* to allow it to receive electricity according to the agreed mode of supply and to allow the voltage conversion on the scheduled date has not been carried out in accordance with sections 15.2.1 and 16.2.3, and if this interruption would also affect other *customers*, Hydro-Québec sends these *customers* a notice *in writing* of at least 60 *days*, with a true copy to you, of its intention to interrupt *electricity service*.

In either case, after the notice period has elapsed, Hydro-Québec may send you the *electricity service* interruption notice provided for in Section 7.2.2 and subsequently interrupt service.

#### 7.3 Charges arising from electricity service interruption

# For *electricity service* interruption

*Electricity service* is restored once you have remedied the situation that led to the interruption, and Hydro-Québec bills you the applicable "charge for work" stipulated in Table I-A, Chapter 20, in all cases provided for in Section 7.1, except the following:

- a) The *service address* is receiving electricity with no *contract*.
- b) The safety of persons or property is at risk.
- c) The interruption has been requested by a competent federal, provincial or municipal authority, for example a police force or fire department.

#### For restoration of electricity service outside regular working hours

If the restoration of *electricity service* necessitates travel and you require that the work be done outside Hydro-Québec's *regular working hours*, Hydro-Québec bills you for the cost of restoration according to the *detailed cost-of-work calculation*, minus the "charge for work" if already billed.

Connection Requests

### **CHAPTER 8**

### Submission of Connection Request and Determination of Work Included in Basic Service

### 8.1 Connection request

To receive electricity at a new or existing electrical installation requiring work, you must submit a connection request.

Who can submit a connection request	To submit a <i>connection request</i> , you must be the owner of the <i>electrical installation</i> to be served, or mandated or authorized by the owner.
Required information	Your <i>connection request</i> must include all the mandatory information specified in Schedule I. If you fail to provide this information, Hydro-Québec may refuse your request.
Work required to meet a connection request	Hydro-Québec establishes the layout of the <i>power distribution system</i> and determines the work needed to meet your <i>connection request</i> , favoring the least costly technical solution.
Charges applicable if the work is included in basic service	The \$360 "charge for work on the system" indicated in Table I-A, Chapter 20, will be billed to you if the work needed to meet your connection request:  a) is included in basic service, according to the criteria in sections 8.2 to 8.4;  b) is performed during regular working hours; and  c) is not on an electrical installation in an inaccessible location.
Amount to be paid for work not included in basic service	Work not included in the least costly technical solution constitutes an option for the <i>customer</i> and is conditional on Hydro-Québec's acceptance. You must pay the additional costs arising from such work.
Charge for travel without connection	If Hydro-Québec discovers on site that the <i>electrical installation</i> for which it has received a <i>connection request</i> is already connected, you will be billed the \$170 "charge for travel without work" indicated at line 3 of Table I-A, Chapter 20.

# Servitudes required on private property

Before the work begins, you must obtain, at your expense, any *servitude* required by Hydro-Québec for extension of a *distribution line* on private property.

If you do not supply the necessary *servitude*, Hydro-Québec will not do the work but will provide you with a *connection point* on a *distribution line*. You will then have to extend your *customer's service entrance* up to the *connection point*, at your expense.

### **Vegetation clearing**

You must assume the cost of any vegetation clearing required.

You are responsible for providing the *civil works* on the property served or to be served, including those needed for an underground *distribution service loop*, whether the *service loop* is being replaced or installed for the first time.

In addition, you must assume the cost of the *civil works* needed for your *connection* request unless the *minimum load density* is reached at your *connection point*.

These *civil works* must be built in such a way that Hydro-Québec can safely install, connect, operate and maintain its electrical equipment.

### a) Civil works by customer or Hydro-Québec:

# Civil works for underground connection

You may provide the *civil works* required for the *distribution line* at your expense or ask Hydro-Québec to build them. In the latter case, as Hydro-Québec does not build the *civil works* itself but has them built by a third party, it will not provide you with an estimate of their cost; you must therefore pay an advance determined by Hydro-Québec for the *civil works* and undertake to pay the actual cost of the work according to the agreement reached with Hydro-Québec.

b) Municipal requirements:

If municipal bylaws require that *civil works* be built exclusively by the municipality, the cost will be estimated and billed to you by the municipality.

c) Maintenance and upgrading to code:

You are responsible for the work needed for upgrading to code, maintenance, the addition and replacement of the necessary *civil works* and equipment located on the property to be served, other than Hydro-Québec's electrical equipment.

### 8.2 Criteria for application of basic service to distribution service loop

### 8.2.1 Cases in which basic service is applicable to the distribution service loop

If your *connection request* requires work on the *distribution service loop, basic service* will apply in the following cases:

a) a new electrical installation;

b) replacement, modification or relocation of the *distribution service loop* following an increase in the *current rating* of the main *service box* or addition of a main *service box* or *customer substation*.

If all or some of the work necessary to meet your *connection request* is not included in *basic service*, please see Chapter 9.

### 8.2.2 Items included in basic service for a distribution service loop

Hydro-Québec provides and installs a *distribution service loop* up to the *connection point*, which must be in a location directly accessible from the *distribution line*.

The distribution service loop provided by Hydro-Québec is overhead if the distribution line is overhead at the supply point on the distribution line, or underground if the distribution line is underground at the supply point on the distribution line.

Depending on the type of distribution service loop, the following items are included in basic service:

Overhead distribution service loop	A <i>distribution service loop</i> of up to 30 m, including all necessary <i>support structures</i> and equipment.
Underground distribution service loop	A <i>distribution service loop</i> of up to 30 m, including installation of the first <i>cable section</i> and a riser if required.  You must provide the necessary <i>civil works</i> at your expense.

The cost of items not included in basic service is calculated according to the provisions of Section 9.2.

### 8.2.3 Method for determining the length of the distribution service loop

For billing purposes, the length of the *distribution service loop* is the length of a line established by Hydro-Québec based on one of the following distances, whichever is more advantageous:

- a) the distance from the lot line between the property to be served and a *public road*, or from a *distribution line*, to the *connection point*; or
- b) the distance from the supply point on the distribution line to the connection point.

### 8.2.4 Cases in which the distribution service loop is not provided

Hydro-Québec does not provide or build a distribution service loop in the following cases:

- a) Your *connection request* requires a *service loop* wholly or partially located on private property other than your own, and you do not provide the *servitude* required by Hydro-Québec.
- b) Your connection request is for temporary supply and requires an overhead service loop.
- c) Your *connection request* is for an *electrical installation* with an *anticipated power demand* of less than 2 kW and requires an overhead *service loop*.
- d) The distribution line is overhead and you request an underground service loop.
- e) You choose to provide a service entrance extending up to the distribution line.

### 8.2.5 Cases in which the connection is provided by the customer (service entrance)

If Hydro-Québec does not provide a distribution service loop, you must provide a service entrance up to the distribution line, at your own expense.

Overhead service entrance	Hydro-Québec provides a connection point on the distribution line only.
Underground service entrance	If you opt for an underground <i>service entrance</i> and the <i>distribution line</i> is overhead, Hydro-Québec may, where technically feasible, provide you with a <i>connection point</i> on a pole in the <i>power distribution system</i> , subject to an agreement.  If Hydro-Québec replaces, moves or removes the pole to which a <i>service entrance</i> is connected or adds equipment to it, the necessary work on the <i>electrical installation</i> must be performed and paid for by its owner.

### 8.3 Criteria for application of basic service to a distribution line extension

### 8.3.1 Extension of an overhead distribution line (request for supply of less than 5 MVA including installed load)

If your connection request is for an anticipated apparent power demand of less than 5 MVA including installed load and requires the extension of an overhead distribution line located in a public right-of-way, the items included in basic service are determined as follows:

If there is a municipal water supply or sewer system	The number of metres of distribution line required to meet your connection request.
If there is no municipal water supply or sewer system	One of the following will apply:  a) up to 100 m of overhead distribution line for each main service box or customer substation to be supplied, if the anticipated power demand is between 2 and 50 kW; or
	b) 2 m of overhead <i>distribution line</i> per kW of <i>anticipated power demand</i> if greater than 50 kW and less than 5 MVA, up to a maximum of 1,000 m for each main <i>service box</i> or <i>customer substation</i> to be supplied.

If your *connection request* necessitates the extension of an overhead *distribution line* through a back lot, you are billed an extra charge calculated according to Section 9.4.1.

If, for technical reasons, Hydro-Québec chooses to extend an underground rather than overhead *distribution line*, all or part of the extension could be included in *basic service*.

## 8.3.2 Extension of an underground distribution line (request for supply of less than 5 MVA including installed load)

If your *connection request* is for an *anticipated apparent power demand* of less than 5 MVA including installed load and requires the extension of an underground *distribution line*, the extension is included in *basic service* in the following cases:

- a) Your connection point is located within an underground network that has reached the minimum load density.
- b) Your *connection point* is located on the periphery of an underground network that has reached the *minimum load density*, and all the following conditions are met:
  - Your *connection request* requires the extension of an existing underground *distribution line* over a distance of no more than 333 m.
  - This extension complies with the minimum load density criteria.
  - The extension is done from a location where the minimum load density has been reached.
- c) Your *connection point* is in a location targeted by a municipal development plan agreed on with Hydro-Québec and all the following conditions are met:
  - The development plan provides for public infrastructure work and includes a plan and timeline for deployment of the *power distribution system*.
  - Through the municipal development project, the minimum load density will be achieved within 10 years.
  - The underground *distribution line* extension needed to meet your *connection request* complies with the *minimum load density* criteria over a distance of at least 333 m.

### 8.4 Criteria for application of basic service to a distribution line modification

# 8.4.1 Modification of an overhead distribution line (request for supply of less than 5 MVA including installed load)

If your connection request is for an anticipated apparent power demand of less than 5 MVA including installed load and it requires modification of an existing overhead distribution line, the work required is included in basic service if all the following conditions are met:

- a) The single-phase or three-phase voltage needed to meet your *connection request* is available on the existing *distribution line* to which your *electrical installation* will be connected;
- b) A main *service box* or *customer substation* is added, or the *current rating* of the existing main *service box* is increased;
- c) Your connection request is not for temporary supply;
- d) Your connection request is for an electrical installation with an anticipated power demand of 2 kW or more;
- e) The increase in *anticipated apparent power demand* is less than 5 MVA, including any apparent power demand that was energized less than 5 years before the date of your *connection request*.

If your *connection request* is for *power requirements* that necessitate replacing a single-phase overhead *distribution line* with a three-phase overhead *distribution line* or adding three-phase voltage, your request will be processed as though it were for an overhead *distribution line* extension.

# 8.4.2 Modification of an underground distribution line (request for supply of less than 5 MVA including installed load)

If your connection request is for an anticipated apparent power demand of less than 5 MVA including installed load and necessitates modification of an existing underground distribution line, the work required is included in basic service if all the following conditions are met:

- a) The single-phase or three-phase voltage needed to meet your *connection request* is available on the existing *distribution line* to which your *electrical installation* will be connected;
- b) A main *service box* or *customer substation* is added, or the *current rating* of the existing main *service box* is increased;
- c) Your connection request is not for temporary supply;
- d) Your connection request is for an electrical installation with an anticipated power demand of 2 kW or more;
- e) The increase in the *anticipated apparent power demand* is less than 5 MVA, including any apparent power demand that was energized less than 5 years before the date of your *connection request*;
- f) The minimum load density has been reached.

### 8.5 Securing of the power distribution system

If you request temporary work to secure the *power distribution system*, if the work is for a *building* containing no more than 4 *dwellings*, and if the work is done during *regular working hours*, the securing of the system is included in *basic service*. As indicated in Table I-B, Chapter 20, no charge will be billed to you.

The method used to calculate the amount you pay for items not included in *basic service* is explained in Section 9.7.6.

### **CHAPTER 9**

# Calculation of the Amount to Be Paid for Work Not Included in Basic Service

### 9.1 Methods for calculating the cost of work

To determine the amount you must pay for work not included in *basic service*, Hydro-Québec applies one of the following methods, depending on the nature of the work:

- a) Method based on prices specified in the section in question;
- b) Method based on prices specified in Chapter 20;
- c) Detailed cost-of-work calculation, explained in Section 9.1.2, if it is not possible to use the prices indicated in Chapter 20 or if your connection request is for work involving particular conditions such as the crossing of a lake or river.

### 9.1.1 Additional costs and charges

Where applicable, the following costs and charges are added to the amount you must pay for work not included in *basic service*.

Charge for work on the system	The \$360 "charge for work on the system" indicated in Table I-A in Chapter 20.
Vegetation clearing, servitudes and civil works	Costs arising from vegetation clearing, the required servitudes, and civil works.
Work requested by the customer outside regular working hours	For any type of work done outside regular working hours, the amount you have to pay is based on the detailed cost-of-work calculation.  However, if you ask that interruption and restoration work be done outside regular working hours, Hydro-Québec will bill you the applicable amount for "scheduled interruptions and preventive maintenance" indicated in Table I-B, Chapter 20.

### 9.1.2 Application of the detailed cost-of-work calculation

If the amount you have to pay is determined according to the *detailed cost-of-work calculation*, Hydro-Québec will refer to the calculation table in Schedule IV. The amount to be paid is the sum of the following items:

- a) cost of labor and equipment (line 1 of the table), i.e., the number of hours required for travel and for the work itself, multiplied by the applicable hourly rate;
- b) cost of procuring goods and services supplied by third parties (line 2 of the table), plus the "acquisition fee" (line 3) and "contract management fee" (line 4);
- c) cost of materials (line 6 of the table), plus the "acquisition fee" (line 7), "materials management fee" (line 8) and "minor materials fee" (line 9);
- d) provision for end-of-asset-life reinvestment (line 12 of the table), applied to the sum of paragraphs (a) to (c) above for underground work, or for overhead work if Hydro-Québec deploys the *power distribution system* in a back lot;
- e) engineering and request management fee (line 13 of the table), applied to the sum of paragraphs (a) to (d) above for underground work or to the sum of paragraphs (a) to (c) above for overhead work if Hydro-Québec deploys the *power distribution system* in a back lot;
- f) provision for future operation and maintenance (line 14 of the table), applied to the sum of paragraphs (a) to (c) above;
- g) cost of acquiring any servitude (line 16 of the table) required by Hydro-Québec.

### 9.2 Calculation of amount to pay for work on a distribution service loop

If your *connection request* requires an overhead or underground *distribution service loop* beyond the length included in *basic service* (Section 8.2), you must pay an additional amount to cover this part of the work, as follows.

### 9.2.1 Overhead distribution service loop

To calculate the amount you have to pay for an overhead *distribution service loop* beyond the length included in *basic service*, Hydro-Québec uses the "price for overhead *service loops*" indicated in Table II-A, Chapter 20, according to the length of the *service loop*.

Service loop between 30 and 60 m long	The "price for overhead <i>service loops</i> ," according to the <i>current rating</i> of the main <i>service box</i> , indicated at line 2 of Table II-A, Chapter 20.
Service loop longer than 60 m	The "price for overhead service loops," according to the current rating of the main service box, indicated at line 3 of Table II-A, Chapter 20.

### 9.2.2 Underground distribution service loop

To calculate the amount you have to pay for an underground *distribution service loop* beyond the length included in *basic service*, Hydro-Québec uses the following data:

Underground cables beyond the length included in basic service	<ul> <li>a) Number of metres exceeding the length included in basic service</li> <li>multiplied by</li> <li>b) "price per metre of underground cable," according to type of cable, indicated in Table II-I, Chapter 20.</li> </ul>
Installation of underground cable sections beyond the first section included in basic service	<ul> <li>a) Number of underground <i>cable sections</i> beyond the first section included in <i>basic service</i></li> <li>multiplied by</li> <li>b) the "price for assembly of an underground <i>cable section</i> – cable pulling and splicing," according to the type of supply, indicated in Table II-H, Chapter 20.</li> </ul>
Installation of risers	The "price for risers," according to the type of supply, indicated in Table II-G, Chapter 20.

### 9.3 Calculation of amount to pay for modification of a distribution service loop

If your connection request requires the modification, relocation or replacement of an overhead or underground distribution service loop but there is no increase in the current rating of your main service box or addition of a main service box or customer substation, the amount you must pay for the work is as follows.

### 9.3.1 Modification, relocation or replacement of an overhead distribution service loop

To calculate the amount you have to pay, Hydro-Québec uses one of the following methods:

- a) If all the following conditions are met:
  - The distribution service loop is modified, moved or replaced over a distance of 30 m or less;
  - · No poles or anchors are added or removed;
  - No more than 120 m of low-voltage conductor is added to the overhead distribution line, if applicable;
  - If an overhead transformer is added, its capacity does not exceed 25 kVA.

Hydro-Québec uses the "service loop replacement or relocation" price according to the current rating of the main service box, as indicated at line 1 of Table I-B, Chapter 20.

- b) If all the conditions in (a) are met and there are clearance constraints due to a *swimming pool*, Hydro-Québec uses the "service loop relocation due to constraints related to a *swimming pool*" price according to the *current rating* of the main *service box*, as indicated at line 2 of Table I-B, Chapter 20.
- c) In all other cases, Hydro-Québec calculates the sum of the prices applicable for each item needed to meet your *connection request*, as indicated in tables II-C and II-D, Chapter 20.

### 9.3.2 Modification, relocation or replacement of an underground distribution service loop

To determine the amount you must pay for the underground *distribution service loop*, Hydro-Québec calculates the sum of the prices applicable to each item needed to meet your *connection request*, as indicated in tables II-F to II-K, Chapter 20.

### 9.4 Calculation of amount to pay for distribution line extension

If your *connection request* requires an overhead or underground *distribution line* extension that is not included in *basic service*, you must pay for the work as follows.

### 9.4.1 Overhead distribution line extension

To calculate the amount you have to pay for the extension of an overhead *distribution line*, Hydro-Québec uses one of the following methods.

If there is a municipal water supply or sewer system		
In a public right-of-way	The length of the extension is entirely included in basic service.	
In a back lot	<ul> <li>a) Number of metres of distribution line extension included in basic service multiplied by</li> <li>b) the "price per metre for overhead line extension – back-lot supplement," according to the type of supply, indicated in Table II-B, Chapter 20.</li> </ul>	

If there is no municipal water supply or sewer system		
In a public right-of-way	<ul> <li>a) Number of metres exceeding the length included in basic service</li> <li>multiplied by</li> <li>b) the "price per metre for overhead line extension in a public right-of-way," according to the type of supply, indicated in Table II-B, Chapter 20.</li> </ul>	
In a back lot	<ul> <li>a) Number of metres included in basic service</li> <li>multiplied by</li> <li>b) the "price per metre for overhead line extension – back-lot supplement," according to the type of supply, indicated in Table II-B, Chapter 20.</li> <li>plus</li> </ul>	
	<ul> <li>c) Number of metres exceeding the length included in basic service</li> <li>multiplied by</li> <li>d) the "price per metre for overhead line extension – in a back lot," according to the type of supply, indicated in Table II-B, Chapter 20.</li> </ul>	

# 9.4.2 Extension of an underground distribution line for a residential project where transformers and disconnect switches are not underground

To calculate the amount you have to pay if your *connection request* necessitates extension of an underground *distribution line* for a *residential project* where transformers and disconnect switches are not underground, Hydro-Québec uses the following calculation method.

	For single-phase supply
	a) Number of buildings supplied with single-phase electricity
	multiplied by
Amount to pay	b) price per <i>building</i> according to <i>building</i> type, indicated at lines 1 to 12 of Table II-E, Chapter 20.
	and/or
	For three-phase supply
	a) Number of dwellings supplied with three-phase electricity
	multiplied by
	b) price per dwelling, indicated at line 13 of Table II-E, Chapter 20.

Additional charges applicable to single-family homes	If the average facade of a single-family home in the <i>residential project</i> is wider than 30 m, you must pay an amount calculated as follows:  a) Sum of the facade widths of all single-family homes in the <i>residential project</i> .  less
	<ul><li>b) number of single-family homes in the residential project</li><li>multiplied by</li><li>c) 30 m.</li></ul>
	multiplied by  d) the "price per additional metre," indicated at line 14 of Table II-E, Chapter 20.

If a distribution line must be extended from the existing line to the residential project, the amount you have to pay is calculated according to the terms and conditions set out in chapters 8 and 9 of these conditions of service.

The cost of the option is increased by the costs of any vegetation clearing,

the civil works needed for the local underground line and the service loops.

servitudes and civil works required. You must provide, at your expense,

### 9.4.3 Underground distribution line extension for any other project

To calculate the amount you have to pay if your *connection request* necessitates extension of an underground *distribution line* for a project other than that covered in Section 9.4.2, Hydro-Québec uses the following three-step method, explained in Schedule V.

- **Step 1:** Determine the cost of extending the underground *distribution line*, taking into account the particular specifications of your *connection request*.
- **Step 2:** Calculate the value of the applicable *basic service*.

Work at

customer's expense

Step 3: Subtract the amount calculated in Step 2 from the amount in Step 1 to obtain the amount to pay.

### 9.5 Calculation of amount to pay for distribution line modification

If your *connection request* requires *distribution line* modifications that are not included in *basic service*, you must pay for the work.

### 9.5.1 Overhead distribution line modification

To calculate the amount you have to pay, Hydro-Québec calculates the sum of the prices applicable to each item needed to meet your *connection request*, as indicated in tables II-C and II-D, Chapter 20.

### 9.5.2 Underground distribution line modification

To calculate the amount you have to pay if your *connection request* necessitates modification of an underground *distribution line*, Hydro-Québec uses the following three-step method, explained in Schedule V.

- **Step 1:** Determine the cost of modifying the underground *distribution line*, taking into account the particular specifications of your *connection request*.
- **Step 2:** Calculate the value of the applicable *basic service*.
- Step 3: Subtract the amount calculated in Step 2 from the amount in Step 1 to obtain the amount to pay.

### 9.6 Calculation of amount to pay for distribution line relocation

If your *connection request* necessitates relocation of an existing overhead or underground *distribution line*, the amount you have to pay for the work is determined according to the prices indicated in Chapter 20, if applicable; otherwise the amount is based on the *detailed cost-of-work calculation*.

If only a pole has to be moved and no conductors need to be added, the amount you pay for work is determined according to the price for "pole relocation" indicated at line 3 of Table I-B, Chapter 20.

### 9.7 Other amounts to pay

### 9.7.1 Cost of medium-voltage metering equipment for a small-power installation

If your request requires *medium-voltage* metering, you must pay the "medium-voltage metering for a small-power electrical installation" charge indicated in Table I-C, Chapter 20, if the following two conditions are met:

- a) The electricity delivered is used at low voltage; and
- b) The maximum current of your electrical installation does not exceed 500 A per building.

The amount is payable before the start of the work and is not refundable.

### 9.7.2 Optional equipment and backup line

Equipment not needed to meet your *connection request* will be provided and installed at your expense. The amount you pay for the work required is determined by the prices indicated in Chapter 20, if applicable; otherwise, it is based on the *detailed cost-of-work calculation*. This amount is not subject to any allocation, and the refund provided for in Section 10.4 does not apply.

If you request a backup line, the amount you have to pay for this line is the sum of the applicable overhead prices indicated in tables II-B, II-C and II-D, Chapter 20, and/or the sum of the applicable underground prices indicated in tables II-F to II-K, Chapter 20, as the case may be.

You must also pay the price for "medium-voltage metering for an option" based on the type of supply, as indicated in Table I-C, Chapter 20, if applicable.

Hydro-Québec will inform you *in writing* of the conditions governing use of the backup line. The fact that Hydro-Québec agrees to provide a backup line does not guarantee exclusive electricity supply, nor service continuity, nor delivery of electricity.

### 9.7.3 Service for power demand less than 2 kW

If your connection request necessitates work for an electrical installation with an anticipated power demand less than 2 kW, the work is not included in basic service. The amount you must pay for the work required is calculated as follows:

Overhead service entrance	Since Hydro-Québec does not provide or build a distribution service loop, you must provide a service entrance up to the distribution line, at your own expense. This service entrance must extend to the distribution line. Hydro-Québec provides a connection point on the distribution line only.
	The amount you pay for the work required is determined by the prices indicated
Underground service entrance	in tables II-F to II-I, Chapter 20, if applicable; otherwise, it is based on the detailed cost-of work calculation.
Overhead	a) Number of metres required
distribution line	multiplied by
extension	b) the "price per metre for overhead line extension," according to the type of supply, indicated in Table II-B, Chapter 20.
Overhead  distribution line  modification	The sum of the "prices for overhead work" and the "prices for overhead equipment" indicated in tables II-C and II-D, Chapter 20, for all applicable components.
Underground distribution line	The sum of the prices for underground work and equipment, indicated
extension or modification	in tables II-F to II-K, Chapter 20, for all applicable components.
Addition of overhead transformers	If the work requires the addition of a transformer or disconnect switch so that Hydro-Québec can meet your <i>connection request</i> , you must pay the sum of the "prices for overhead equipment" indicated in Table II-D, Chapter 20, for all
and disconnect switches	applicable components.

### 9.7.3.1 Billing demand less than 2 kW

If your *connection request* is for an *anticipated power demand* of 2 kW or more but Hydro-Québec notes that the billing demand determined in accordance with the *Rates* is less than 2 kW for any *consumption period* within the 5 years following the initial energizing date, you must pay the cost of the work that would have been billable.

### 9.7.4 Temporary supply

If your connection request is for temporary supply and necessitates work, the work is not included in basic service.

The amount that you must pay for the required work and temporary metering is calculated according to the "prices for *temporary supply*" for each of the components indicated in Table II-L, Chapter 20, if applicable, or according to the *detailed cost-of-work calculation*.

The depreciated value of equipment and material that Hydro-Québec plans to recover for reuse is deducted from the cost of the work.

### 9.7.5 Special charge for connecting to an off-grid system

If your connection request concerns an off-grid system located north of the 53<sup>rd</sup> parallel, except the Schefferville system, and is for electricity for space heating or water heating, you must pay the applicable "special charge for connecting to an off-grid system" indicated in Table I-A, Chapter 20, instead of the "charge for work on the system."

This charge also applies in the case when a space or water heating system is converted to electricity.

It does not apply if your *connection request* is for temporary use of electric heating devices to dry joints and paint during construction work.

### 9.7.6 Securing of the power distribution system

If you request temporary work to secure the *power distribution system* and the work is done during *regular working hours*, the amount you have to pay corresponds to the "price for *flat-fee work*" for securing of the system at the *customer's* request, according to the type of work, as indicated in Table I-B, Chapter 20. If more than one system securing measure is required at the same site, Hydro-Québec charges you for the highest-priced applicable measure.

The \$750 price for "de-energizing" indicated in Table I-B, Chapter 20, will apply for any measure not provided for in this table.

**CHAPTER 10** 

### Processing of Connection Requests

### 10.1 Processing of a connection request according to the work to be done

### 10.1.1 Flat-fee work

The amount you must pay for *flat-fee work* is predetermined according to the nature of the work and corresponds either to the "charge for work on the system" indicated in Table I-A, Chapter 20, or to the "price for *flat-fee work*" indicated in Table I-B, Chapter 20.

### Written confirmation from Hydro-Québec

If your *connection request* necessitates work included as *flat-fee work*, Hydro-Québec sends you a confirmation *in writing* containing the following items based on the information you provided:

- a) information about the completion schedule;
- b) a description of the work to be done;
- c) information as to any servitude required;
- d) the amount you have to pay for the work.

### Start of work

Before the *flat-fee work* can begin, you must confirm to Hydro-Québec by telephone that you agree to pay the estimated cost of the work. Payment is not due until the start of the work.

### 10.1.2 Minor work

*Minor work* consists of work that is standardized by Hydro-Québec, i.e., that does not require custom engineering. If your *connection request* necessitates *minor work*, Hydro-Québec proceeds as follows:

Proposal for minor work	<ul> <li>Hydro-Québec sends you a written proposal for minor work containing the following items based on the information you provided:</li> <li>a) information about the completion schedule;</li> <li>b) a description of the work to be done;</li> <li>c) information as to any servitude required;</li> <li>d) the technical requirements applicable to the work to be done by you, if any;</li> <li>e) the total cost of the work;</li> <li>f) the amount you have to pay for the work;</li> <li>g) the amount of the financial guarantee provided for in Section 10.3, if applicable;</li> <li>h) the amount of the advance required by Hydro-Québec for construction of the civil works, if applicable;</li> <li>i) the terms of payment, if applicable;</li> <li>j) the amount of anticipated power demand to be added, if applicable.</li> </ul>
----------------------------	---

Before starting the work, Hydro-Québec must have received:  a) your written acceptance of the proposal for minor work;  b) the financial guarantee provided for in Section 10.3, if applicable;	Before starting the work, Hydro-Québec must have received:
	a) your written acceptance of the proposal for minor work;
	b) the financial guarantee provided for in Section 10.3, if applicable;
	c) the amount you have to pay for the work;
	d) the advance required by Hydro-Québec for construction of the <i>civil works</i> , if applicable.

### 10.1.3 Major work

*Major work* consists of *power distribution system* work of a technical complexity requiring the production of a signed and sealed engineering drawing.

If your connection request necessitates major work, Hydro-Québec proceeds as follows:

	Hydro-Québec sends you a written estimate for major work containing the following items based on the information you provided:
	a) a description of the work to be done;
	b) information as to any servitude required;
Estimate for	c) the technical requirements applicable to the work to be done by you, if any;
major work	d) an estimate of the total cost of the work;
	e) the estimated amount you must pay for the work;
	f) the amount of the financial guarantee provided for in Section 10.3, if applicable;
	g) the amount of anticipated power demand to be added, if applicable.

	When you send in your <i>written</i> acceptance of the <i>estimate for major work</i> , you must pay the financial guarantee provided for in Section 10.3, if applicable. Hydro-Québec then completes the engineering and sends you, for your signature, an <i>agreement for major work</i> containing the following:
	a) a description of the work to be done;
Agreement for major work	b) information as to any servitude required;
	c) the technical requirements applicable to the work to be done by you, if any;
	d) the schedule for completion of the work;
	e) the total cost of the work, including engineering;
	f) the amount you have to pay for the work;

Agreement for major work (cont.)	<ul><li>g) the amount of the advance required by Hydro-Québec for construction of the <i>civil works</i>, if applicable;</li><li>h) the amount of <i>anticipated power demand</i> to be added, if applicable.</li></ul>	
Start of work	<ul> <li>Before starting the work, Hydro-Québec must have received:</li> <li>a) your written acceptance of the agreement for major work;</li> <li>b) the financial guarantee provided for in Section 10.3, if applicable;</li> <li>c) the amount you have to pay for the work;</li> <li>d) the advance required by Hydro-Québec for construction of the civil works, if applicable.</li> </ul>	

### 10.1.4 Prices applicable

The amounts charged to you are based on the prices in effect on the applicable date indicated below.

Flat-fee work	The date on which Hydro-Québec received your connection request.	
Minor work	The date on which you signed the <i>proposal for minor work</i> .	
Major work	The date on which you signed the agreement for major work.	

### 10.1.5 Terms of payment

If Hydro-Québec does not require payment before beginning the work, the terms indicated in Section 4.3 apply.

If your connection request is for a single building in which all the service contracts are eligible for a domestic rate, you may choose to pay for the work in one of the following ways:

- a) in a single payment; or
- b) in 30 payments every two months, including interest as follows:
  - Interest is calculated according to the "prospective cost of capital" indicated in Table II-M, Chapter 20, in effect on the date of signing of the *proposal for minor work* or the *agreement for major work*, as the case may be. The rate is fixed for the term of the *payment arrangement*.
  - The first payment is due on the date of signing of the *proposal for minor work* or the a*greement for major work*, as the case may be.
  - If you miss more than one payment, Hydro-Québec may terminate the *payment arrangement* and claim the entire balance owing plus accrued interest.

### 10.1.6 Withdrawal of a connection request

If you make a connection request and later withdraw it, the following terms apply:

Hydro-Québec considers that you have withdrawn your connection request in the following cases: a) You notify Hydro-Québec in writing that you are withdrawing your connection b) You change your connection request. In that case, only the portion of the work that was originally planned during the engineering phase and that will not be used in the modified connection request is considered withdrawn. c) You did not provide the financial guarantee provided for in Section 10.3, if applicable, when you accepted the proposal for minor work or the estimate for major work. Withdrawal d) If, within 6 months: you have not returned the signed proposal for minor work to Hydro-Québec; • you have not returned the signed agreement for major work to Hydro-Québec; • after Hydro-Québec has sent you the agreement for major work, you have not paid the amount for the work or the advance required by Hydro-Québec for the civil works, unless delayed payment has been agreed on; • the connection was not energized on the date indicated in the *proposal for minor* work or the agreement for major work for a reason other than a delay attributable to Hydro-Québec, unless a postponement has been agreed on.

# If you withdraw your connection request after accepting the proposal for minor work or the estimate for major work in writing, you must pay the cost of withdrawal based on the sum of the following: a) costs incurred for purchases and service contracts as well as compensation to be paid; b) cost of work done; c) cost of work made necessary by the withdrawal of the connection request, including dismantling of facilities if applicable; d) actual cost of engineering and request management; less e) the depreciated value of equipment and materials recovered for reuse by Hydro-Québec.

New connection request	In all cases where Hydro-Québec charges you for withdrawal costs, you must pay these before Hydro-Québec will agree to study a new <i>connection request</i> from you.
Refund	Any amount you have paid in excess of the amount billed for withdrawal will be refunded to you.
Transitional provision	If you submitted your <i>connection request</i> before April 1, 2018, and the connection was not energized within 12 <i>months</i> of the scheduled date of connection, Hydro-Québec will deem that you have withdrawn <i>your connection request</i> .

# 10.2 Customer's commitments for a demand of less than 5 MVA including installed load

If your connection request is for an anticipated apparent power demand of less than 5 MVA including installed load, Hydro-Québec will monitor your billing demand for each of the 5 years following the date on which your electrical installation was energized, up to 500 kW. Depending on the result of this monitoring, the following conditions apply.

If, in each of the 5 years of monitoring, the average billing demand is equal to or greater than the *anticipated* power demand, you will have no additional amount to pay.

Otherwise, for each year of monitoring in which the average billing demand is less than the *anticipated power demand*, Hydro-Québec will bill you an amount calculated as follows:

 $AB = 2 \times (PD - ABD) \times 1/5 \times applicable$  "price per metre for overhead line extension" indicated in Table II-B, Chapter 20, in effect on the date the addition was connected

### where:

AB = amount billed

PD = anticipated power demand

ABD = average billing demand for the year in question

If you signed a *contribution agreement* before April 1, 2018, it remains subject to the *Conditions of Electricity Service* effective as of April 1, 2015, until its expiry.

# 10.3 Financial guarantee for a demand of 1,000 kW or more supplied at medium voltage

If your *connection request* is for an *anticipated power demand* of 1,000 kW or more to be supplied at *medium voltage*, you must provide a financial guarantee to cover the costs incurred by Hydro-Québec.

### Payment date

You must pay the financial guarantee when you send in your *written* acceptance of the *proposal for minor work* (see Section 10.1.2) or the *estimate for major work* (see Section 10.1.3), as the case may be.

# Terms and conditions of financial guarantee

The financial guarantee must cover the part of the cost of work included in *basic* service, plus an amount equal to the taxes.

The financial guarantee must be valid from the date of acceptance of the *proposal* for minor work or the *estimate for major work*, and remain valid for a period of 5 years from the date of energizing.

The financial guarantee must take the form of an irrevocable and unconditional standby letter of credit produced by a financial institution and meeting Hydro-Québec's requirements.

For government agencies and financial institutions referred to in Schedule II, the financial guarantee may take the form of a letter of undertaking from the Board of Directors or its equivalent.

If you fulfill the commitments set out in Section 10.2, one fifth of the value of the guarantee will be reimbursed annually.

### Use by Hydro-Québec of the financial guarantee

Hydro-Québec may use the financial guarantee you have provided, without notice or delay, and keep the entire amount guaranteed as payment against the power commitment, with no possibility of reimbursement, in any of the following cases:

- a) A bill remains unpaid after its due date, so that Hydro-Québec can collect any unpaid amount.
- b) Your electricity consumption ceases definitively.
- c) You terminate your service contract.
- d) You are in a situation of insolvency under an applicable law.

### 10.4 Refund for addition of an electrical installation on a distribution line

If you paid an amount for extension or modification of a *distribution line* (see Chapter 9), you are entitled to a partial or full refund of this amount when a new *electrical installation* is added on this *distribution line*, under the following conditions:

### Relevant period

The new *electrical installation* must be added no later than 5 years after the date of energizing your *electrical installation*.

	The amount of your refund is based on the <i>anticipated power demand</i> of the <i>electrical installation</i> added.
	a) For anticipated power demand between 2 and 50 kW:
	• 100 m fixed length
	multiplied by
	<ul> <li>the applicable "price per metre for overhead line extension" indicated in Table II-B, Chapter 20;</li> </ul>
Amount of refund	b) For anticipated power demand of more than 50 kW:
	• 2 m per kW, up to a maximum of 1,000 m
	multiplied by
	<ul> <li>the applicable "price per metre for overhead line extension" indicated in Table II-B, Chapter 20;</li> </ul>
	An amount corresponding to the cost of the <i>distribution line</i> extension or modification work needed to supply the new <i>electrical installation</i> , if applicable, is then subtracted from the amount calculated above.
	The vertical many met evered the amount very poid
Refund limit	The refund may not exceed the amount you paid.
Keruna ilmit	Costs for vegetation clearing, servitudes, civil works, options, optional equipment and medium-voltage metering for a small-power electrical installation are not refundable.
	The refund is granted first to the <i>customer</i> who paid for the extension or modification of the <i>distribution line</i> to which the new <i>electrical installation</i> is connected.
Refund priority	Once the amount paid by that <i>customer</i> has been refunded in full, the refundable balance is granted to the <i>customer</i> who paid for the part located immediately on

### 10.5 Joint-use credit

**Transitional** 

provision

Any nonjoint-use agreement signed before April 1, 2018, remains subject to the *Conditions of Electricity Service* effective as of April 1, 2015, until its expiry.

balance has been paid out.

the *line side* of that part of the *distribution line*, and so on until the entire refundable

If you signed a *contribution agreement* before April 1, 2018, it remains subject to the *Conditions of Electricity Service* effective as of April 1, 2015, until its expiry.

Rights and Obligations of Hydro-Québec and Its Customers

### **CHAPTER 11**

### Communication of Information

### 11.1 Information on conditions of service

Hydro-Québec informs its *customers* of these conditions of service. It may do so through its Web site at **www.hydroquebec.com/publications/en**.

### 11.2 Means of communication between Hydro-Québec and its customers

In these conditions of service, some provisions specify the means you may use to communicate with Hydro-Québec. The means of communication are grouped into two categories:

Any written communication transmitted as follows:  a) through Hydro-Québec's Web site, in particular from your Customer Space;  b) by e-mail;  c) by mail;  d) by fax.
--

By telephone	Any telephone conversation, including through the interactive	
	voice response system.	

When Hydro-Québec sends you a notice, it uses a means of communication providing proof of transmission, including by e-mail if you have supplied your e-mail address and consented to Hydro-Québec's using it to communicate with you.

You can use your Customer Space on Hydro-Québec's Web site (www.hydroquebec.com/en) at any time to:

- a) submit a service request;
- b) obtain and update information about your service contract;
- c) sign up for Online Billing, the Equalized Payments Plan and Pre-Authorized Debit;
- d) pay bills;
- e) update the information on rental units that you own;
- a) terminate a service contract.

### 11.3 Contract and billing information

You must provide Hydro-Québec with the information it needs to issue your electricity bill as well as manage its *power distribution* system and ensure system security. You must ensure that the information in your file is up to date.

Changes to your service contract	During the term of the service contract, you must notify Hydro-Québec immediately:	
	a) of any change in the characteristics of your service contract;	
	b) of any change in the information you provided about your use of electricity;	
	c) of any change in the information in Schedule I;	
	d) of any change in the technical specifications of the <i>electrical installation</i> served;	
	e) of any modification to your <i>dual-energy system</i> .	

Error notification	You must notify Hydro-Québec immediately upon becoming aware of any error concerning:
	a) the confirmation of the characteristics of your <i>contract</i> sent to you by Hydro-Québec in accordance with Section 2.1;
	b) any bill you receive from Hydro-Québec.

### 11.4 Notification in the event of technical malfunction

You must immediately notify Hydro-Québec of any electrical or mechanical malfunction of your *electrical installation* of which you are aware or cannot be unaware and which could:

- a) disturb the Hydro-Québec power system;
- a) hinder service to the electrical installations of other customers; or
- a) endanger property or persons, including Hydro-Québec representatives.

### 11.5 Medium- or high-voltage supply

If your *electrical installation* is supplied at *medium voltage* or *high voltage*, you must designate one or more persons whom Hydro-Québec must be able to contact at all times in regards to the management and operation of its power system and to ensure its security.

You must ensure that any person so designated is authorized under the Master Electricians Act (CQLR, chapter M-3).

### 11.6 Hydro-Québec obligation regarding promotional activities

Hydro-Québec may conduct promotional activities regarding the terms and conditions set forth in chapters 2 and 4 of the *Conditions of Service*, provided such activities are temporary, apply to all *customers* or to various groups of *customers* and aim to reduce the amounts payable by *customers* under the above-mentioned chapters.

Hydro-Québec reports on these promotional activities to the Régie de l'énergie, as instructed by the Régie.

### **CHAPTER 12**

### Quality and Continuity of Service

### 12.1 Operation of the power distribution system

Hydro-Québec provides you with electricity subject to interruptions that may result from an emergency, accident, equipment failure or tripping of system protective devices.

Hydro-Québec may, at any time, interrupt *electricity service* for purposes of system maintenance, repair, modification or management, or for reasons of public utility or safety.

### 12.2 Limited liability of Hydro-Québec

Hydro-Québec does not guarantee a stable level of voltage and frequency, nor continuity of *electricity service* and delivery.

Hydro-Québec cannot be held liable for any material damage resulting from one or more voltage or frequency variations or losses, service interruptions in accordance with these conditions of service, or failure to deliver electricity, except in the case of intentional or gross fault.

Hydro-Québec cannot be held liable for damage resulting from a *steady-state voltage* not exceeding the following limits:

- a) if electricity is supplied at low voltage or medium voltage, according to standard CAN3-C235-83 (R2015);
- b) if electricity is supplied at high voltage, a difference of up to 10% above or below the nominal supply voltage.

### 12.3 Protection against electrical incidents

You are responsible for guarding against voltage fluctuations and losses, frequency fluctuations and accidental grounding, and in particular for ensuring that your *electrical installation* and the electrical appliances and equipment you use are protected against such incidents.

### 12.4 No guarantee

The following do not constitute and must not be interpreted as constituting an evaluation or a guarantee by Hydro-Québec of the functional value, efficiency or safety of the facilities serving the *customer*, including the *electrical installation* and protective devices, nor of their compliance with any applicable legislative or regulatory provision:

- a) any contract entered into under these conditions of service;
- b) any agreement entered into under these conditions of service;
- c) any installation done by Hydro-Québec;
- d) any connection of an electrical installation to the Hydro-Québec system;
- e) any authorization given by Hydro-Québec;
- f) any inspection or verification done by Hydro-Québec;
- g) the electricity service provided by Hydro-Québec.

### **CHAPTER 13**

# Use of Electricity and Connection of Equipment and Appliances

### 13.1 Resale of electricity

You may not resell, rent, lend, exchange or give electricity supplied by Hydro-Québec, unless you are a power distribution undertaking covered by the *Act Respecting Municipal and Private Electric Power Systems* (CQLR, chapter S-41).

This prohibition does not apply to the rental of a service address in which the rent includes electricity.

### 13.2 Inappropriate use of electricity

You are liable for any damage caused to other *customers* or to Hydro-Québec if your electricity use violates these conditions of service or exceeds the *available power*.

### 13.3 Interfering with Hydro-Québec equipment

Any interference with the functioning of Hydro-Québec facilities, apparatus and equipment is prohibited. It is also prohibited to use them or carry out any operation or work whatsoever on them, unless you have obtained approval from Hydro-Québec.

### 13.4 Tampering with the electrical installation or metering equipment

If Hydro-Québec finds that the *electrical installation* or *metering equipment* has been tampered with so as to falsify the metering of electricity, or if the metering of electricity is impeded, you must pay the "inspection fee" indicated in Table I-A, Chapter 20, as well as the cost of purchase and installation of *metering equipment* to replace the damaged *metering equipment*, unless you can demonstrate that such tampering or impediment took place without your knowledge.

### 13.5 Hydro-Québec use of customer telecommunications circuits

You have priority in the use of your telecommunications circuits, but must allow Hydro-Québec to use them free of charge for the purpose of electricity metering and control.

### 13.6 Metering points

### 13.6.1 Separate service contract and metering for each delivery point

Each delivery point must be covered by a separate contract and separate metering, except in the following cases:

- a) The electricity can also be delivered to you at a delivery point located on a backup line.
- b) The electricity is delivered to you by more than one *distribution line* because of the limited capacity of Hydro-Québec's power lines.

- c) The electricity is for purposes of public lighting.
- d) The electricity is delivered for a *dwelling* that has been covered by a single continuous *contract* since February 1, 1984, even if it is metered by more than one *meter*, as long as the *electrical installation* has not been modified.
- e) The electricity has been continuously metered by a single *meter* since April 15, 1987, even if it is delivered to several *delivery points* serving the property, as long as the *customer's service entrance* has not been modified.

### 13.6.2 Overall metering in a building

If you own a *building* with several electricity *meters*, you must allow Hydro-Québec to perform overall metering of the electricity delivered to all or part of the *building*, for consumption analysis purposes.

### 13.6.3 Metering of electricity in apartment buildings, community residences and rooming houses

In *apartment buildings*, and in *community residences* containing *dwellings* or both *dwellings* and rooms, electricity may be metered separately or in bulk, at the discretion of the owner or all the co-owners, as the case may be.

In *community residences* containing rooms only and in *rooming houses*, electricity for all the rooms is metered by a single *meter*. Electricity for *common areas and collective services* may be metered separately.

### 13.7 Metering equipment supplied by Hydro-Québec

Electricity delivered to you is metered by *metering equipment* chosen, supplied and installed by Hydro-Québec. The following terms and conditions apply:

Low-voltage metering	If Hydro-Québec's current transformers have to be installed in a shielded substation, you are responsible for installing them and connecting their primary windings.
Medium- or high- voltage metering	You are responsible for installing Hydro-Québec's current and voltage transformers and connecting their primary windings.
Customer equipment or apparatus	Any equipment or apparatus that you want to add to Hydro-Québec's metering equipment is entirely at your expense.

### 13.8 Customer's instrument transformers

You must obtain Hydro-Québec's permission before installing any transformer, or similar equipment designed to protect your *electrical installation*, on the *line side* of Hydro-Québec's *metering equipment*.

Only transformers for protecting your *electrical installation* or indicating its voltage may be installed on the *line side* of Hydro-Québec's *metering equipment*.

In addition, the following provisions apply, depending on the supply voltage:

Low voltage	Any equipment that belongs to you and that is solely for purposes of load management and metering must be installed on the <i>load side</i> of Hydro-Québec's <i>metering equipment</i> .  You may install only one voltage transformer and one current transformer per phase, and the cabinet containing them must have a mechanism for affixing a seal.
Medium or high voltage	Your <i>metering equipment</i> must be used solely to ensure electrical protection of the property, to display metering data and to emit load control signals.  You may install only one voltage transformer and one current transformer per phase, on the <i>line side</i> of the <i>metering equipment</i> .

### 13.9 Actions requiring prior authorization

Hydro-Québec's prior authorization must be obtained for any modification of the *customer's service entrance* or electricity use, or for installation of load control equipment on the *line side* of the *metering equipment*.

**CHAPTER 14** 

# Ownership of Facilities and Equipment and Right of Access

### 14.1 Ownership of facilities and equipment

The connection point is the demarcation between your electrical installation and the facilities and equipment of Hydro-Québec. However, some equipment, including the meter and the current or voltage transformers for metering, belong to Hydro-Québec and can be installed on the load side of the connection point.

Hydro-Québec remains the owner of the facilities and equipment used on the *line side* of the *connection point*, even if you contribute to the cost of the work carried out by Hydro-Québec.

The electrical installation located on the load side of the connection point does not belong to Hydro-Québec.

### 14.2 Installation of equipment

# Right of installation

Hydro-Québec must be able to install free of charge, on the property served or to be served, in locations that are readily accessible, safe and agreed upon with you or the owner of the *electrical installation*, as the case may be, all equipment required for *electricity service*, control and metering, including *power distribution system* equipment if any part of the system is to be used to supply electricity to the said property.

Right of installation (cont.)	Hydro-Québec must also be able to install such equipment free of charge after initial energization, in locations that are readily accessible, safe and agreed upon with you or the owner of the <i>electrical installation</i> , as the case may be.
Right of sealing	Hydro-Québec has the right to seal, free of charge, any point where a connection could be made on the <i>line side</i> of the <i>metering equipment</i> .
Right of subsoil use	Hydro-Québec has the right to use the subsoil free of charge for the installation, maintenance, connection, operation, modification, extension and use of <i>power distribution system</i> equipment.

### 14.3 Hydro-Québec access to its equipment

Access to the *metering equipment* is a prior condition for the delivery of electricity to a *customer*.

Reasons for access	<ul> <li>Hydro-Québec and its representatives must be able to access the property served:</li> <li>a) to install, operate, inspect, maintain, repair, modify or remove all equipment belonging to it;</li> <li>b) to collect <i>meter</i> data;</li> <li>c) to check whether your electricity use complies with these conditions of service;</li> <li>d) to interrupt or restore <i>electricity service</i>.</li> </ul>
Access period	<ul> <li>Hydro-Québec has the right to access the property served:</li> <li>a) at all times when necessary to ensure safety or the continuity of <i>electricity service</i>;</li> <li>b) between 8 a.m. and 9 p.m. every <i>day</i>, except Sundays and holidays, for any other reason.</li> </ul>
Renovations made by the <i>customer</i>	You must obtain Hydro-Québec's authorization before proceeding with any renovation or other work affecting the property supplied or your <i>electrical installation</i> , if the result of the work could prevent or hinder exercise of the access rights provided for in this section.

If your *electrical installation* is single-phase and rated 400 A or less and there has been no billing of demand for the *contract* in question during the 12 previous monthly periods;

and:

# Access for replacement of the meter with a communicating meter and preliminary work

a) you refuse or neglect to give access to a *meter* other than a *communicating meter* so that Hydro-Québec can replace it;

or:

b) you do not perform the work required for *meter* replacement or to bring your *electrical installation* into compliance,

the \$85 "meter inaccessibility charge" and the \$2.50 "monthly meter reading charge" indicated in Table I-A, Chapter 20, become applicable 9 days after Hydro-Québec sends a notice to that effect, if you have not remedied the situation.

The "monthly meter reading charge" ceases to apply when Hydro-Québec replaces the meter with a communicating meter or when service is interrupted under sections 7.1.1 and 7.1.2, whichever occurs first.

### 14.4 Compliance with clearance standards

Every building and structure, including a swimming pool or outbuilding, in proximity to Hydro-Québec's distribution line or metering equipment must have the clearances prescribed in the Québec Construction Code, Chapter V – Electricity.

If you own a *building* or structure that contravenes the standards in force at the time of its construction or modification, you will have to pay cost of the *distribution line* modifications necessary to correct this noncompliance.

### 14.5 Safety of persons and property

As a *customer*, you are the custodian of all Hydro-Québec equipment on the property served, including the *metering equipment*, unless such equipment is in a location under the control of a third party. However, this provision does not apply to poles and overhead conductors.

You are also responsible for ensuring the safety of persons and the protection of property in places where Hydro-Québec supplies electricity.

Technical Specifications

## Modes of Supply

### 15.1 Delivery of electricity by Hydro-Québec

#### 15.1.1 Frequency and voltage

Hydro-Québec supplies electricity at the *connection point* at a frequency of approximately 60 Hz in accordance with these conditions of service.

*Steady-state voltage* up to 44 kV is supplied in accordance with the provisions of standard CAN3-C235 83 (R2015), in the edition in force at the time of application.

#### 15.1.2 Limitations and conditions of supply

Hydro-Québec supplies electricity subject to the limitations and conditions described in these conditions of service and according to the applicable technical specifications, including the specifications for the *distributing* substations, civil works and equipment required for such supply.

#### 15.1.3 Supply directly from the distribution line or from a distributing substation

Low-voltage supply is provided directly from the distribution line or from a distributing substation, depending on the sum of the current ratings of your service box.

Total rating of 600 A or less	Electricity is supplied directly from the distribution line.			
Total rating over 600 A	Electricity is supplied directly from the <i>distribution line</i> if the maximum current demand on the <i>distribution service loop</i> does not exceed 500 A, or 600 A during the <i>winter period</i> in the case of a <i>dual-energy system</i> .  In all other cases, electricity is supplied from a <i>distributing substation</i> located at the <i>service address</i> and installed on a pole, on a <i>pad</i> or in an <i>annex</i> .			

If you and Hydro-Québec agree on a mode of *low-voltage* supply other than that offered as part of *basic service* as defined by Hydro-Québec, you must assume all additional costs.

#### 15.1.4 Use of distributing substation

Subject to the *customer's* priority use of the full capacity of the *distributing substation*, Hydro-Québec may use such substation to supply electricity to the *electrical installations* of other *customers*.

#### 15.2 Technical requirements

#### 15.2.1 Customer's electrical installation

You must ensure that your *electrical installation* meets the following requirements:

- a) It must correspond to the information you provided to Hydro-Québec under Section 2.1.
- b) It must be able to receive electricity according to the agreed mode of supply (see Chapter 16).
- c) It must be approved or authorized by a competent authority under any applicable legislative or regulatory provision.
- d) It must be designed, built, connected, protected, used and maintained in such a way that it
  - allows Hydro-Québec to manage, operate and protect its system, including metering equipment;
  - does not cause disturbances on the *power distribution system*;
  - does not compromise electricity service to other customers;
  - does not put Hydro-Québec's representatives or the public at risk.

#### 15.2.2 Review of available power authorized

Your electricity use must not exceed the available power authorized by Hydro-Québec.

Hydro-Québec may review the available power as follows:

Increase in available power	If you would like your <i>available power</i> to be increased, you must submit a request to Hydro-Québec, which will send you a <i>written</i> authorization if your request is accepted.
Reduction of available power	Your available power may be revised downward if Hydro-Québec notes that your maximum power demand is less than the available power authorized.

#### 15.2.3 Supply from more than one distribution line

When electricity is supplied at *medium* or *high voltage* from more than one *distribution line*, the lines must be used according to Hydro-Québec's instructions.

If one of these lines fails or has to be removed from service, you must, with Hydro-Québec's authorization or at its request, receive electricity from another *distribution line* indicated by Hydro-Québec. This use is limited to the duration of the work, unless Hydro-Québec indicates a longer usage period.

#### 15.2.4 Supply from a medium-voltage underground distribution line

When electricity is supplied at *medium voltage* from an underground *distribution line*, the *electrical installation* must be designed and installed in such a way that it can receive electricity from more than one source.

#### 15.2.5 Protection for backup generator

Hydro-Québec authorizes the connection to the *power distribution system* of a backup generator provided that it has a transfer switch with a mechanical interlock system making it impossible for the generator to couple with the *power distribution system* (open transition).

If the backup generator's transfer switch allows coupling of the generator with the *power distribution system* (closed transition), or if the transfer switch does not have a mechanical interlock system, you must obtain Hydro-Québec's *written* authorization before connecting the generator to the *power distribution system*. The connection and use of such equipment must at all times comply with the conditions set by Hydro-Québec and the standards in effect. In particular, you must provide documents attesting to the compliance of the *electrical installation*.

#### 15.2.6 Connection of generating equipment

Before you can connect and use generating equipment along with your use of the *power distribution system* under your *service contract*, you must provide the documents attesting to the compliance of the *electrical installation* and obtain *written* authorization from Hydro-Québec.

The connection and use of this equipment must at all times comply with the conditions set by Hydro-Québec and the standards in effect.

#### 15.2.7 Coordination of protective equipment

The technical specifications and settings of the protective equipment in your *electrical installation* must allow coordination with Hydro-Québec's protective equipment.

#### 15.2.8 Customer obligations regarding power factor

You must maintain the *power factor* of your *electrical installation* as follows:

Power factor measurement	The power factor is measured by Hydro-Québec at the delivery point.			
Required minimum power factor	You must maintain a <i>power factor</i> of at least:  a) 90% for a <i>small-power</i> , <i>medium-power</i> or <i>domestic-rate service contract</i> ; or  b) 95% for a <i>large-power service contract</i> .			
Insufficient power factor	If the <i>power factor</i> of your <i>electrical installation</i> is usually less than the minimum required, Hydro-Québec may notify you <i>in writing</i> . You must then install correction equipment at your expense.			

	Correction equipment must be designed and installed to meet the following requirements:
Correction equipment	<ul> <li>a) It must not cause disturbances on the Hydro-Québec power system;</li> <li>b) It must allow complete or partial disconnection, at Hydro-Québec's request or according to variations in your power use, without the corrected <i>power factor</i> becoming capacitive.</li> </ul>

#### 15.2.9 Customer obligations regarding inrush current

If electricity is supplied to your *electrical installation* directly from the *distribution line* at *low voltage*, you must obtain Hydro-Québec's *written* authorization before connecting a load that could cause the following current inrush values:

Supply from the main system	100 A or more.		
Supply from an off-grid system	The lower of the following values:  a) 10 kW or more; or  b) 20 kVA or more.		

#### 15.3 Excessive current demand

If your *electrical installation* is supplied directly from the *distribution line* or from a pole-mounted 347/600 V *distributing substation* and the sum of the *current ratings* of your *service box* exceeds 600 A, Hydro-Québec will notify you *in writing* if it notes that the maximum allowed current for your *electrical installation* is being exceeded.

If you receive such a notice, you must, within 6 months of the date of the notice,

- at your expense, install the *civil works* and equipment needed for supply from a non-pole-mounted *distributing substation*;
- pay the cost of the portion of the distribution service loop in excess of 30 m, if applicable;
- if the limit is exceeded within 5 years of initial energizing, reimburse all costs incurred by Hydro-Québec for installation and removal of transformers and other equipment required for supply directly from the distribution line or from a pole-mounted distributing substation. The depreciated value of the equipment recovered for reuse by Hydro-Québec is refunded to the customer who paid for it.

# Supply Voltages

#### 16.1 Low voltage

#### 16.1.1 Supply voltages available

Low-voltage supply is available as follows:

Single-phase 120/240 V	This supply voltage is available if the sum of the service box current ratings in your electrical installation does not exceed 1,200 A at 120/240 V.
Three-phase wye-connected 347/600 V, grounded neutral	This supply voltage is available if the sum of the <i>service box current ratings</i> in your <i>electrical installation</i> does not exceed 6,000 A at 347/600 V.
Three-phase three-wire 600 V	Electricity service at three-phase 600 V, 3-wire, remains subject to sections 23 and 24 of Bylaw No. 411.

#### 16.1.2 Conversion of 3-wire 600 V

Hydro-Québec may at any time convert the 3-wire 600 V supplied to your *electrical installation* to three-phase wye-connected 347/600 V with grounded neutral.

In such a case, Hydro-Québec must notify you *in writing* at least 30 *days* before the date of the voltage conversion and termination of service at the existing voltage. Within that 30-*day* period, you must upgrade your *electrical installation* at your expense to allow supply at the new voltage, as well as all the work mentioned in Section 8.1, if applicable.

#### 16.2 Medium-voltage supply

#### 16.2.1 Maximum allowed current for three-phase supply at medium voltage

*Medium-voltage* three-phase electricity is supplied up to a maximum of 260 A. Beyond that, Hydro-Québec determines if your *electrical installation* must be supplied at *medium voltage* or *high voltage*.

#### 16.2.2 Equipment installed for conversion to 25-kV supply

If your *electrical installation* is supplied at a *medium voltage* other than 25 kV, Hydro-Québec may at any time convert it to 25 kV. In that case, the following conditions apply:

Addition or replacement of equipment	Any electrical equipment added or replaced in the <i>customer substation</i> must be designed to receive electricity at 25 kV, unless Hydro-Québec sends you a <i>written</i> notice waiving this requirement.				
New electrical installation	Any new <i>electrical installation</i> must be designed to receive electricity at both 25 kV and the other voltage, unless Hydro-Québec sends you a <i>written</i> notice waiving this requirement.				
Compensation	<ul> <li>Hydro-Québec will pay you the following compensation:</li> <li>a) at your request, and only once per transformer, an amount equal to the difference between the cost of a transformer designed to receive electricity at both 25 kV and the other voltage, and the cost of a transformer designed to receive electricity solely at 25 kV;</li> <li>b) the "credit for supply at medium or high voltage" specified in the Rates for 25 kV.</li> </ul>				
	This credit applies as of the first complete <i>consumption period</i> following the date on which the capacity of the transformer(s) installed by you and capable of receiving electricity at 25 kV allows you to use all of the <i>available power</i> you have agreed on with Hydro-Québec.				

## 16.2.3 Conversion of supply voltage to 25 kV

If your *electrical installation* is supplied at a voltage other than 25 kV and Hydro-Québec decides to convert it to 25 kV as provided for in Section 16.2.2, the following conditions apply:

Notice	Hydro-Québec must notify you <i>in writing</i> at least 24 <i>months</i> before the scheduled date of the voltage conversion. You then have the choice of modifying your <i>customer substation</i> or receiving electricity at <i>low voltage</i> .
Maintaining medium voltage	If, after receiving the notice of conversion, you opt for maintaining supply at <i>medium</i> voltage, you must carry out any addition, modification or replacement needed so that the <i>customer substation</i> can receive electricity at 25 kV.
Costs	Whatever option you choose, you assume the cost of the additions, modifications and replacements needed to your <i>electrical installation</i> .

## Compensation

Compensation is set out in Schedule III. Hydro-Québec informs you *in writing* of the amounts to which you are entitled.

At your request, such compensation is paid at the time provided in Schedule III or when your *electrical installation* is able to receive electricity at the new voltage required.

If, after receiving the notice of conversion, you opt for *low-voltage* supply, only the compensation set out in paragraphs (d) and (e) of Schedule III is paid, at your request, once your *electrical installation* is able to receive electricity at *low voltage*.

# Service interruption

If the work required on your *electrical installation* to allow it to receive electricity according to the agreed mode of supply and to allow the voltage conversion on the scheduled date has not been carried out, Hydro-Québec sends you an interruption notice at least 9 *days* before interrupting service, in accordance with Section 7.1.2.

After this period has elapsed, Hydro-Québec may perform the necessary work to convert the voltage of the *distribution line* supplying your *electrical installation*. Your *electricity service* is interrupted because your *electrical installation* is no longer compatible with the *distribution line* voltage and can no longer be powered according to the agreed mode of supply.

# 

Large-Power Customers

## Credit Risk for Large-Power Customers

#### 17.1 Application

The provisions set forth in this part apply to *large-power service contracts*. They have precedence over any incompatible provision in these conditions of service and any incompatible provision of a billing or *payment arrangement* between Hydro-Québec and a *customer*, including any cancellation deadline stipulated in such an arrangement.

#### 17.2 Establishment of customer's credit risk

Regardless of any assessment made under sections 17.2.1 and 17.2.2, if you are *in default*, all your *large-power* service contracts are considered *high-risk* contracts.

#### 17.2.1 Risk level based on credit ratings

Hydro-Québec bases the risk level of your *large-power service contracts* on the credit ratings assigned to you in the past 12 *months* by the rating agencies indicated below, and establishes the risk level using the scale below.

Rating agency	Risk level			
	Very low risk	Low risk	Risky	High risk
Standard & Poor's	AAA to A-	BBB+ to BB-	B+ to B-	CCC+ to D
Moody's	Aaa to A3	Baa1 to Ba3	B1 to B3	Caa1 to D
DBRS (LTO)	AAA to A low	BBB high to BB low	B high to B low	CCC to D
Fitch	AAA to A–	BBB+ to BB-	B+ to B-	CCC+ to D

If, due to discrepancies between credit ratings assigned in the last 12 *months* by these rating agencies, your *service contracts* are deemed to pose several different levels of risk, Hydro-Québec uses one of the following methods:

- a) If at least two agencies have assigned you the same credit rating during that period, that rating will be used to establish the level of risk you represent.
- b) If the ratings assigned to you by the agencies during that period are all different, Hydro-Québec assesses the risk level itself, using the method provided for in Section 17.2.2.

#### 17.2.2 Risk level based on score assigned by Hydro-Québec

If the rating agencies identified in Section 17.2.1 have not assigned you any rating in the past 12 months, Hydro-Québec assesses the risk level itself, as follows:

- a) Hydro-Québec sends you a *written* request for the financial information it needs to assess the level of risk you represent.
  - Hydro-Québec preserves the confidentiality of all information thus transmitted and designated by you as confidential, unless a law requires Hydro-Québec to disclose this information.
  - You must provide this information within 30 days of Hydro-Québec's request; otherwise, all your *large-power* service contracts will be considered *high-risk*.
- b) Hydro-Québec assesses your file according to the chart in Section 18.1 and establishes your risk level according to the following scale:

	Risk level			
	Very low risk	Low risk	Risky	High risk
Score assigned by Hydro-Québec according to Section 18.1	А	В	С	D

c) If you disagree with Hydro-Québec's assessment, you may request a review as provided for in Section 17.2.3.

#### 17.2.3 Review of score assigned by Hydro-Québec

If you want Hydro-Québec to review the assessment performed under Section 17.2.2, you must submit a *written* request for review indicating in sufficient detail the reasons for your disagreement.

Review by Hydro-Québec	Hydro-Québec reviews its assessment.  If Hydro-Québec's position remains unchanged after this new analysis, you may request a review by a third party.
Review by a third party	Hydro-Québec asks a recognized rating agency to produce its own assessment, which will be based on the financial information you already provided under Section 17.2.2.  Assessment by the rating agency is at your expense, and you must pay the cost before it begins.  Such a request neither suspends nor prevents the application of Section 17.3 based on the risk assessment performed by Hydro-Québec.

Reimbursement
if review is in
customer's favor

If the rating agency assigns a rating that improves your risk level, Hydro-Québec will refund the cost of the rating agency's assessment within 30 days.

#### 17.3 Particular terms and conditions for risky or high-risk contracts

#### 17.3.1 Notice to customer

If Hydro-Québec intends to apply the provisions of sections 17.3.2 to 17.3.4 to a *large-power service contract* for which you are responsible, it must notify you *in writing*, stating the terms and conditions that will apply.

Upon receipt of the notice, you must contact Hydro-Québec and agree on the date on which the new terms and conditions come into effect, as well as reasonable transitional measures.

If no agreement is reached, the new terms and conditions come into effect 8 *days* after the date on which the notice was sent.

### 17.3.2 Payment period for a risky contract

In the case of a risky contract, all bills must be paid in Canadian dollars within 7 days of the billing date.

If you do not pay a bill by its due date, you are *in default*. An "administration charge" calculated according to the applicable rate in Table I-A, Chapter 20, in effect on the due date of your bill, is then applied to the unpaid balance.

#### 17.3.3 Deposit or payment guarantee

Hydro-Québec may require a deposit or a payment guarantee for any high-risk contract.

	The maximum amount of the deposit or payment guarantee is established as follows:
Calculation	a) Hydro-Québec estimates your probable bills for power demand and <i>energy</i> , taxes included, for the next 12 <i>months</i> .
Calculation	b) Based on this 12-month estimate, Hydro-Québec determines the period of 14 consecutive days during which the billing amount will be highest.
	c) The amount of the deposit or guarantee will not exceed the amount that would be billable for that 14-day period.

Due date	The deposit or payment guarantee is payable within 8 days of Hydro-Québec's request.
Interest on deposit	Any cash deposit you pay to Hydro-Québec under this section bears interest under the terms and conditions set out in Section 6.3.

#### 17.3.4 Payment frequency for a high-risk contract

In the case of a *high-risk contract*, Hydro-Québec sends you an estimate of the upcoming bill for the current *consumption period*. This amount is payable as follows:

- a) The amount for the electricity already consumed is payable within 7 *days* after Hydro-Québec sends you the estimate.
- b) Subsequently, you must make weekly installments according to the payment schedule sent to you by Hydro-Québec.

Failure to pay any of these installments constitutes a *non-payment*. An "administration charge" is then applied at the rate in effect on the due date of the payment and calculated according to the applicable "administration charge" indicated in Table I-A, Chapter 20.

Any difference between the amount of the weekly installments paid and the amount of your bill based on actual consumption data is indicated on your monthly bill. This amount is applied as a credit or debit, as the case may be, to your next weekly installment.

#### 17.3.5 Termination of special terms and conditions

The provisions in Section 17.3 cease to apply when the *service contract* has no longer been *risky* or *high-risk*, as the case may be, for at least 2 consecutive quarters.

Hydro-Québec will send you *written* notice to that effect. The provisions cease to apply at the end of the monthly *consumption period* under way on the date of the notice. Any deposit or payment guarantee provided under Section 17.3.3 is then refunded as set out in Section 6.5, with the necessary adjustments.

**CHAPTER 18** 

## Hydro-Québec Credit Risk Assessment Criteria

#### 18.1 Method used by Hydro-Québec to determine credit score

In the cases provided for in sections 6.1.2 and 17.2.2, Hydro-Québec uses the method presented in sections 18.1.1 and 18.1.2 to establish a *customer*'s credit score.

#### 18.1.1 Scorecard used by Hydro-Québec to establish the credit score

The table below shows the number of points awarded to the *customer* for each criterion on the scorecard. The criteria are defined in Section 18.1.2.

Assessment criteria	1 point	2 points	3 points	4 points	
Operating Efficiency Ratios					
(1) Profit margin ratio as a percentage of sales (TTM: Trailing twelve <i>months</i> )	13.00% or over	4.00%– 12.99%	1.00%–3.99%	Under 1.00%	
(2) Decline in market capitalization (%)	Under 25.00%	25.00%- 49.99%	50.00%– 74.99%	75.00% or over	
(3) CRM (Credit Risk Monitor) rating or Z score	4.00 or over	2.60–3.99	1.10–2.59	Under 1.10	
(4) CRM category	First quartile	Second quartile	Third quartile	Last quartile	
	Liquidity R	atios			
(5) Working capital ratio	3.80:1 or more	2.00-3.79:1	1.40–1.99:1	Under 1.40:1	
(6) Interest coverage ratio (TTM)	10.0:1 or more	2.50–9.99:1	1.50–2.49:1	Under 1.50:1	
	Debt Rat	ios			
(7) Total debt/Tangible net worth	Under 0.16:1	0.16-0.50:1	0.51–1.50:1	Over 1.50:1	
(8) Total debt/EBITDA (TTM)	Under 2.00:1	2.00-3.99:1	4.00-5.00:1	Over 5.00:1	
(9) Total debt/Cash flows from operations less cash flows from capital investments (TTM)	Under 5.00:1	5.00–9.99:1	10.00–14.99:1	15.00:1 or more	
(10) Other considerations	0 to 5 points per qualitative element, according to severity of the situation				

Based on the total score obtained from the above table, Hydro-Québec assigns a rating according to the following scale. The score corresponding to each rating depends on whether the company is publicly or privately held, since criteria 2, 3 and 4 do not apply to privately held companies.

Hydro-Québec rating based on *customer's* total score:

Type of company	Α	В	С	D
Public	9–19	20–28	29–33	34 or over
Private	6–13	14–19	20–22	23 or over

## 18.1.2 Definitions of assessment criteria

The following definitions apply to Section 18.1:

Operating efficiency ratios (quantitative)				
(1) Profit margin ratio as a percentage of sales (TTM: trailing twelve <i>months</i> )	Gross profit margin, less cost of sales, overhead and administration, divided by sales.			
(2) Decline in market capitalization (%)	Percentage decrease (if applicable) in common share price in the 36 <i>months</i> preceding the assessment.			
(3) CRM (Credit Risk Monitor) rating or Z score	Rating or score indicating a company's risk of bankruptcy and calculated on the basis of several accounting and financial ratios.			
(4) CRM category	Category based on the CRM database, which compiles all financial statements for public companies internationally. Hydro-Québec uses the CRM category to rank the <i>customer</i> in relation to its competitors.			
	Liquidity ratios (quantitative)			
(5) Working capital ratio	Current assets divided by current liabilities. Used to assess a company's ability to meet its financial obligations over the next 12 months.			
(6) Interest coverage ratio (TTM)	<ul> <li>EBITDA/Financial expenses:</li> <li>EBITDA – Earnings before interest, taxes, depreciation and amortization;</li> <li>Financial expenses – Interest on current and long-term debt.</li> </ul>			

Total debt: all liabilities with the exception of  trade and other accounts payable  income taxes  Tangible net worth  Total debt/EBITDA (TTM)  See above.  Total debt/Cash flow from operations less cash flow from capital investments (TTM)  Total debt/Cash flow from operations less cash flow from capital investments (TTM)  Total debt: see above;  Cash flow from operations: as presented in the statement of cash flows;  Cash flow from capital investments: as presented in the statement of cash flows.  Other considerations  Fulfillment of obligations under short- and long-term banking arrangements;  Legal suits, problems with regulatory authorities, commitments and contingencies;  Legal liens on customer's assets;  Going-concern status of the customer or related entities;  Insolvency of the customer or related entities;  Life stage (startup, growth, decline);  Magnitude of actuarial deficit of pension plan;  Economic dependency;  Scope of related-party transactions;		Debt ratios (quantitative)
Total debt: see above;  Cash flow from operations less cash flow from capital investments (TTM)  Cash flow from capital investments (TTM)  Other considerations  Fulfillment of obligations under short- and long-term banking arrangements;  Legal suits, problems with regulatory authorities, commitments and contingencies;  Legal liens on customer's assets;  Going-concern status of the customer or related entities;  Insolvency of the customer or related entities;  Life stage (startup, growth, decline);  Magnitude of actuarial deficit of pension plan;  Economic dependency;  Scope of related-party transactions;		<ul> <li>trade and other accounts payable</li> <li>income taxes</li> </ul> Tangible net worth: total assets less intangible assets, leasehold
(9) Total debt/Cash flow from operations less cash flow from capital investments (TTM)  Cash flow from operations: as presented in the statement of cash flows;  Cash flow from capital investments: as presented in the statement of cash flows.  Other considerations  Fulfillment of obligations under short- and long-term banking arrangements;  Legal suits, problems with regulatory authorities, commitments and contingencies;  Legal liens on customer's assets;  Going-concern status of the customer or related entities;  Insolvency of the customer or related entities;  Life stage (startup, growth, decline);  Magnitude of actuarial deficit of pension plan;  Economic dependency;  Scope of related-party transactions;	(8) Total debt/EBITDA (TTM)	See above.
<ul> <li>Fulfillment of obligations under short- and long-term banking arrangements;</li> <li>Legal suits, problems with regulatory authorities, commitments and contingencies;</li> <li>Legal liens on customer's assets;</li> <li>Going-concern status of the customer or related entities;</li> <li>Insolvency of the customer or related entities;</li> <li>Life stage (startup, growth, decline);</li> <li>Magnitude of actuarial deficit of pension plan;</li> <li>Economic dependency;</li> <li>Scope of related-party transactions;</li> </ul>	operations less cash flow from capital investments	Cash flow from operations: as presented in the statement of cash flows;  Cash flow from capital investments: as presented in
banking arrangements;  Legal suits, problems with regulatory authorities, commitments and contingencies;  Legal liens on customer's assets;  Going-concern status of the customer or related entities;  Insolvency of the customer or related entities;  Life stage (startup, growth, decline);  Magnitude of actuarial deficit of pension plan;  Economic dependency;  Scope of related-party transactions;		Other considerations
Quality of management team;     Major change in dividend or distribution policy;	(10) Qualitative elements	<ul> <li>banking arrangements;</li> <li>Legal suits, problems with regulatory authorities, commitments and contingencies;</li> <li>Legal liens on <i>customer's</i> assets;</li> <li>Going-concern status of the <i>customer</i> or related entities;</li> <li>Insolvency of the <i>customer</i> or related entities;</li> <li>Life stage (startup, growth, decline);</li> <li>Magnitude of actuarial deficit of pension plan;</li> <li>Economic dependency;</li> <li>Scope of related-party transactions;</li> <li>Quality of management team;</li> </ul>

#### **CHAPTER 19**

## Types of Supply for Large-Power Customers

# 19.1 Connection request for 5 MVA or more, including installed load, at medium voltage

#### 19.1.1 Overhead service

If you request an overhead connection for an *anticipated apparent power demand* of 5 MVA or more, including installed load, at *medium voltage*, the amount you have to pay for the work is based on the *detailed cost-of-work calculation* in cases where it is not possible to use the prices indicated in Chapter 20 or where your *connection request* is for work involving particular conditions such as the crossing of a lake or river.

For modification or extension of an overhead *distribution line*, the amount you have to pay is reduced by the "allowance for overhead supply of 5 MVA or more at *medium voltage*" in Table II-M, Chapter 20, up to the amount that would have been included in the least costly technical solution determined by Hydro-Québec. The following formula is used to calculate the reduction:

 $AR = AAD \times ALL$ 

where:

AR = amount of reduction

AAD = added anticipated demand

ALL = amount on the "allowance" line in Table II-M

There is no allowance for an option.

#### 19.1.2 Underground service

If you request an underground connection for an *anticipated apparent power demand* of 5 MVA or more, including installed load, at *medium voltage*, the amount you have to pay for the work is based on the *detailed cost-of-work calculation* in cases where it is not possible to use the prices indicated in Chapter 20 or where your *connection request* is for work involving particular conditions such as the crossing of a lake or river.

For modification or extension of an underground distribution line, the amount you have to pay is reduced by the "allowance for overhead supply of 5 MVA or more at medium voltage" in Table II-M, Chapter 20, up to the amount that would have been included in the least costly technical solution determined by Hydro-Québec.

There is no allowance for an option.

# 19.2 Customer commitments for 5 MVA or more, including installed load, at medium voltage

If your connection request is for an anticipated apparent power demand of 5 MVA or more, including installed load, at medium voltage, Hydro-Québec will monitor your billing demand for each of the 5 years following the date on which your electrical installation was energized. Depending on the result of this monitoring, the following conditions apply.

If, in each of the 5 years of monitoring, the average billing demand is equal to or greater than the *anticipated* power demand, you will have no additional amount to pay.

Otherwise, for each year of monitoring in which the average billing demand is less than the *anticipated power demand*, Hydro-Québec will bill you an amount calculated as follows:

 $AB = (APD - ABD) \times 1/5 \times \text{``allowance adjustment charge'' indicated in Table II-M, Chapter 20, in effect on the date the additional load was connected$ 

#### where:

AB = amount billed

APD = anticipated power demand

ABD = average billing demand for the year in question

If you signed a *contribution agreement* before April 1, 2018, it remains subject to the *Conditions of Electricity Service* effective as of April 1, 2015, until its expiry.

# 

Costs and Charges Related to Electricity Service

# Costs and Charges

## 20.1 General Charges, Flat-Fee Work Prices and Special Metering Charges

Table I-A - General Charges

	Service cha	arges – per request or per job	
1		For request submitted through self-service	No cos
1 Contract administrati	on cnarge	For request submitted by other means	\$2.
		Remote	No cos
2 Charge for work		At the meter	\$14
		On the system	\$36
3 Charge for travel with	nout work		\$17
4 Meter inaccessibility	charge		\$8.
5 Monthly <i>meter</i> reading	ng charge	According to billing cycle	\$2.5
6 Initial installation cha	arge		\$8.
7 Inspection fee			\$1,15
8 Special charge for co	nnecting	First 20 kW	\$5,00
to an off-grid system	J	Each additional kW	\$25
<b>9</b> Charge for insufficier	nt funds	Per rejected transaction	\$10
	Administra	ntion charge applicable to bill	
		National Bank prime rate range (%/year)	Monthl administration charge (%
		7.99 or less	1.2 (14.4%/yeaı
10 Administration charges are based on the rate indicated for the corresponding range of National Bank prime lending rates.	ies are based on	8 to 9.99	1.4 (16.8%/yeaı
	10 to 11.99	1.6 (19.2%/yeaı	
	12 to 13.99	1.7 (20.4%/yea	
		14 to 15.99	1.9 (22.8%/yeaı
		16 to 17.99	2.1 (25.2%/yea
		18 or more	2.2 (26.4%/yeaı

This rate is revised whenever, for a period of 60 consecutive *days*, the National Bank prime lending rate is above or below the reference range used to establish the rate currently applicable. The new rate is applied as of the 61st *day*.

Table I-B – Prices for Flat-Fee Work

Modification of <i>low-voltage</i> overhead <i>service loop</i> – per job					
Torre of consider	Curren	t rating of service box			
Type of work	400 A or less	600 A or more			
1 Service loop replacement or relocation (except as provided at Line 2 below)	\$1,020	\$2,310			
2 Service loop relocation due to constraints related to a swimming pool	\$360	\$360			
Pole relocation -	- per pole				
Type of work	Low voltage	Medium voltage			
3 Pole relocation:					
- Single-phase	\$1,560	\$3,670			
- Three-phase	\$1,560	\$5,880			
Scheduled interruptions and preve	ntive maintenance – per job				
Type of work	Less than 5 hours	Per additional 5 hours			
4 Interruption and restoration of overhead or underground service outside Hydro-Québec's regular working hours	\$800	\$2,800			
Public lighting – p	er luminaire				
5 Installation and energizing of new luminaire		\$440			
Replacement or relocation and energizing of luminaire		\$650			
7 Disconnection and removal of luminaire		\$340			
Securing of power distribution system at customer's request					
Type of work		Amount per job			
8 4 dwellings or less		No cost			
9 Electrical isolation		\$500			
10 De-energizing		\$750			
Additional info	rmation				
• Line 3: These prices include the removal and installation of any s	upport structures, transformers and	cutouts			

**Table I-C – Special Metering Charges** 

Type of work	Amount per meter			
Medium-voltage mete	ring for an option			
1 Single-phase with pole-mounted transformer	\$13,200			
2 Three-phase with transformer on a pole or in a metal-clad substation	\$28,400			
Medium-voltage metering for a small-power electrical installation				
3 Single-phase with transformer	\$11,200			

## 20.2 Prices for Major and Minor Work – System Extension and Modification

Table II-A – Prices for Overhead Service Loops

New <i>low-voltage service loop</i> – Per job or per metre						
		Current	rating of service l	box		
Length (	of service loop	200 A or less	320 or 400 A	600 A		
<b>1</b> 30 i	m or less	Included in basic service	Included in basic service	Included in basic service		
	With additional pole					
2 Bet	ween 30 and 60 m	\$1,760	\$1,880	\$3,460		
	er 60 m: Fixed amount + ce per metre	\$1,760 + \$35/m	\$1,880 + \$42/m	\$3,450 + \$76/m		
		Without additional pole				
4 Pric	ce per metre applicable	\$11/m	\$18/m	\$50/m		
	New mediu	m-voltage service loop – Per j	ob or per metre			
		т	ype of supply			
Length (	of service loop	Single-p	hase	Three-phase		
<b>5</b> 30 ı	m or less	Included in basic service		Included in basic service		
<b>6</b> Bet	ween 30 and 60 m	\$3,550		\$3,990		
	er 60 m: Fixed amount + price metre	\$3,550 + \$5 (price from Table		\$3,990 + \$76/m (price from Table II-B)		

Table II-B – Price per Metre for Overhead Line Extension

	In a public right-of-way	In a back lot	Back-lot supplement		
	Medium-voltage syst	em			
Type of supply	Price per metre				
1 Single-phase without low-voltage	\$59	\$66	\$7		
2 Single-phase including low-voltage	\$83	\$109	\$26		
3 Three-phase without low-voltage	\$75	\$84	\$9		
4 Three-phase including low-voltage	\$103	\$135	\$32		
	Low-voltage system	n			
Type of supply		Price per metre			
5 Single-phase or three-phase, 2 Al	\$35	\$39	\$4		
6 Single-phase or three-phase, 4/0 Al	\$42	\$47	\$5		
7 Single-phase or three-phase, 477 Al	\$76	\$85	\$9		
Additional information					
Prices include materials, labor, poles, guy wires and anchors.					

Table II-C – Prices for Overhead Work

System accessible System inaccessible			cessible
Installation	Removal	Installation	Removal
Conductor attachme	ent system		
	Price pe	er pole	
\$290	\$230	\$510	\$410
\$620	\$450	\$900	\$600
\$750	\$350	\$1,570	\$1,060
\$2,100	\$810	\$3,910	\$1,650
Conductor sp	ans		
	Price pe	er span	
\$940	\$630	\$1,240	\$900
\$1,890	\$1,260	\$2,260	\$1,590
\$1,860	\$1,330	\$2,430	\$1,790
\$3,160	\$1,950	\$3,990	\$2,580
Poles, guy wires and	d anchors		
	Price per co	omponent	
\$970	\$290	\$1,330	\$790
\$1,400	\$290	\$1,760	\$790
\$310	\$170	\$460	\$170
\$440	\$140	\$800	\$140
	\$290 \$620 \$750 \$2,100 <b>Conductor sp</b> \$940 \$1,890 \$1,860 \$3,160 <b>Poles, guy wires and</b> \$970 \$1,400 \$310	Installation   Removal	Installation         Removal         Installation           Price per pole           \$290         \$230         \$510           \$620         \$450         \$900           \$750         \$350         \$1,570           \$2,100         \$810         \$3,910           Conductor spans           Price per span           \$940         \$630         \$1,240           \$1,890         \$1,260         \$2,260           \$1,860         \$1,330         \$2,430           \$3,160         \$1,950         \$3,990           Poles, guy wires and anchors           Price per component           \$970         \$290         \$1,330           \$1,400         \$290         \$1,760           \$310         \$170         \$460

#### **Additional information**

- Lines 1 to 4: Prices include labor and materials for installation or removal of a conductor attachment system. *Medium-voltage* attachment includes *low-voltage* attachment.
- Lines 5 to 8: Prices include labor and materials for installation or removal of a conductor span, including the attachment system for one pole per span. *Medium-voltage* conductors include *low-voltage* conductors.
- Lines 9 to 12: Prices for installation or removal of a pole, guy wire or anchor, in all situations, including the pole, guy wire or anchor, and labor.

Table II-D – Prices for Overhead Equipment

	System accessible		System	inaccessibl	e			
	Insta	llation	Rem	oval		Installatio	n	Removal
Type of supply			Price	per cor	nfigura	ation		
	Transformer, labor only							
1 Single-phase		\$1,860	:	\$770		\$3,66	0	\$2,430
2 Three-phase		\$3,820	\$2	2,130		\$6,37	0	\$3,970
		Cı	ıtout, labor oı	nly				
<b>3</b> Single-phase		\$530		\$520		\$84	0	\$780
4 Three-phase		\$1,310	\$1	,210		\$2,340		\$2,290
		Disconn	ect switch, la	bor only	y			
<b>5</b> Single-phase		\$810		\$580		\$1,370		\$1,040
<b>6</b> Three-phase		\$3,300	\$2	2,810		\$3,820 \$3		\$3,000
		(	Capacity of e	quipm	nent u	ınit or grou <sub>l</sub>	•	
		Single	-phase				Three-phase	•
	10 kVA	25 kVA	50–100 kVA	167 k	κVA	75 kVA	150–300 kVA	500 kVA
		Equip	ment, materia	ls only				
Type of equipment			Price per e	quipme	ent uni	it or group		
7 Transformer	\$2,490	\$2,490 \$3,390 \$5,970 \$11,400		,400	\$10,800	\$18,500	\$31,000	
8 Cutout	\$460						\$1,830	
9 Disconnect switch		\$5	80				\$2,170	
Additional information								

- Lines 1 and 2: Including labor for installation of transformers as well as cutouts and surge arresters required for transformer operation.
- Lines 3 and 4: Including labor for installation of cutouts.
- Lines 5 and 6: Including labor for installation of disconnect switches.
- Line 7: Including transformers, transformer brackets and surge arresters. Labor not included.
- Line 8: Including cutouts and their brackets. Labor not included.
- Line 9: Including disconnect switches and their brackets. Labor not included.

Table II-E – Unit Prices for Underground Service for Residential Projects

Loc	cal underground line with primary line option	Overhead	Underground	Underground (civil works done by the customer)		
Sin	gle-phase supply – labor and materials		Price per building			
1	Detached house with 600-A service box	\$9,600	\$17,100	\$11,800		
2	Detached house with 400-A service box	\$3,040	\$8,450	\$4,640		
3	Detached house with 200-A service box	\$2,110	\$6,620	\$3,440		
4	Semidetached house	\$1,930	\$5,540	\$2,990		
5	Row house	\$1,090	\$4,100	\$1,980		
6	Duplex	\$3,940	\$8,750	\$5,360		
7	Triplex	\$3,640	\$9,950	\$5,500		
8	Fourplex	\$4,480	\$11,700	\$6,610		
9	Fiveplex	\$7,680	\$16,700	\$10,300		
10	Sixplex	\$7,760	\$16,800	\$10,500		
11	Sevenplex	\$10,300	\$20,800	\$13,400		
12	Multiplex with eight or more dwellings	\$10,400	\$22,400	\$13,900		
	ee-phase supply to a multi-unit <i>building</i> or and materials		Price per dwelling			
13	Multiplex with 16 or more dwellings	\$570	\$2,070	\$1,520		
	Price per a	dditional metre				
14	14 Per metre in excess of 30 m average per facade in the case of detached houses (lines 1, 2 and 3) in the project \$35					
	Additional information					
• P	Prices cover labor and materials (cable, transformer and switchgear for the underground primary system).					

Table II-F – Prices for Cable Work for Low-Voltage Underground Service Loops

	Installation	Removal	Replacement		
Type of cable	Р	Price per cable section			
1 3/0 AI	\$3,200	\$2,080	\$3,870		
2 350 kcmil	\$4,340	\$2,780	\$5,160		
3 500 kcmil or larger	\$5,480	\$3,470	\$6,440		
Additional information					

<sup>•</sup> Lines 1 to 3: Prices cover labor for installation/removal and connection of an underground *cable section*. Cable not included.

#### Table II-G - Prices for Risers

	Installation	Removal	Replacement			
Type of supply	Price per riser					
Underground portion						
1 Low-voltage, single-phase	\$1,160	\$690	\$5,590			
2 Low-voltage, three-phase	\$1,160	\$690	\$5,590			
3 Medium-voltage, single-phase	\$3,230	\$1,420	\$6,830			
4 Medium-voltage, three-phase	\$6,630	\$2,160	\$10,600			
	Overhead portion	n				
5 Single-phase	\$2,060	\$840	-			
6 Three-phase	\$6,020	\$1,680	_			
Additional information						

<sup>•</sup> Lines 1 to 4: Prices of labor and materials for installation or removal of equipment attaching the underground cables to the pole. Does not include poles, conductors, or related labor or materials; prices for these are given in tables II-C and II-D. For electrical protection of underground cables, see lines 5 and 6.

<sup>•</sup> Lines 5 and 6: Prices of labor and materials for installation or removal of underground cable protection (cutouts or switchgear).

Table II-H – Prices for Assembly of an Underground Cable Section – Cable Pulling and Splicing

	Installation	Removal	Replace	ment		
			Cable and joint	Joint only		
Type of supply	Price per section					
1 Low-voltage, single-phase	\$6,390	\$2,290	\$7,340	\$3,600		
2 Low-voltage, three-phase	\$6,630	\$2,290	\$7,560	\$3,830		
3 Medium-voltage, single-phase	\$7,910	\$3,370	\$10,400	\$3,550		
4 Medium-voltage, three-phase	\$11,900	\$3,600	\$14,100	\$6,870		
5 Low-voltage, three-phase – parallel substation	\$2,520	-	-	-		
Additional information						

and collising of a cable section, including the joint or connects

<sup>•</sup> Lines 1 to 4: Prices of labor for installation and splicing of a *cable section*, including the joint or connector. Cable not included.

<sup>•</sup> Prices in the "Replacement – Joint only" column cover labor and materials.

Table II-I - Price per Metre of Underground Cable

	Low-v	oltage	Medium	-voltage			
	Single-phase	Three-phase	Single-phase	Three-phase			
Type of cable		Cable – Pric	e per metre				
1 3/0, Al	\$17	\$20	\$28	\$48			
2 350/500/750 kcmil, Al	\$36	\$52	\$43	\$130			
<b>3</b> 350/500 kcmil, Cu	\$130	\$180	_	\$220			
<b>4</b> 750 kcmil, Cu	-	\$300	_	-			
5 1000 kcmil, Al	\$64	\$80	_	-			
Type of cable	Co	ncrete-encased duct	t bank – Price per me	tre			
<b>6</b> 350 kcmil, Al	\$42	-	_	-			
<b>7</b> 500 kcmil, Al	\$56	-	_	-			
8 500 kcmil, Cu	\$150	-	_	-			
<b>9</b> 3/0, Al	-	_	\$23	_			
Additional information							

#### Additional information

- Prices apply to extension or modification of a line or service loop.
- Lines 1 to 5: Prices for materials only.
- Lines 6 to 9: Prices for materials only; since the cable is already on a reel, the installation is done by the developer. For splicing, see the "Replacement Joint only" column in Table II-H, lines 1 and 3.

Table II-J – Prices for Underground Transformers

	Pri	ice per k	w of antici	ipated power	demand
Joint use	Pad-m	ounted			Manhole
Type of supply	Electrical work	Electrical work Civil structure		Electrical wor	rk Civil structure
1 Underground, single-phase	\$253		\$113		
2 Overhead, single-phase	\$142		N/A		
3 Underground, three-phase	\$266		\$54	\$26	\$218
4 Overhead, three-phase	\$177		N/A	\$17	77 N/A
Exclusive use			Price p	er unit	
Type of transformer	Installation	<b>1</b>	Ren	noval	Replacement
	Pad-mounte	ed transfo	rmer		
5 Single-phase, 100 kVA	\$1	9,000		\$2,120	\$16,300
6 Single-phase, 167 kVA	\$2	2,000		\$2,120	\$19,100
7 Three-phase, 500 kVA	\$6	51,100		\$2,120	\$50,200
8 Three-phase, 750 kVA	\$7	0,300		\$2,120	\$58,900
9 Three-phase, 1500 kVA	\$9	4,700		\$2,120	\$82,500
10 Three-phase, 2500 kVA	\$10	7,100		\$3,190	\$93,000
11 Three-phase, 3000 kVA	\$19	7,400		\$8,850	-
Three-phase, 4000 and 5000 kVA	\$21	6,900		\$8,850	-
	Transforme	er in an <i>an</i>	nex		
13 Three-phase, 500 kVA	\$9	\$91,800		\$9,560	\$58,600
14 Three-phase, 1000 kVA	\$109,000			\$9,560	\$74,900
15 Three-phase, 2000 kVA	\$149,900		\$9,560	\$111,200	
16 Three-phase, 3000 kVA	\$24	1,000		\$19,100	\$186,100
17 Three-phase, 4000 kVA	\$27	4,800		\$19,100	_

Table II-J – Prices for Underground Transformers (continued)

Transformer in a manhole					
18 Single-phase, 167 kVA	\$39,300	\$1,060	\$24,500		
19 Single-phase, 250 kVA	\$37,900	\$2,830	\$31,100		
20 Single-phase, 333 kVA	\$44,200	\$2,830	\$36,900		
21 Three-phase, 300 kVA	\$42,000	\$2,830	\$33,400		
22 Three-phase, 500 kVA	\$60,700	\$2,830	\$50,900		
23 Three-phase, 1000 kVA	\$121,300	\$3,190	_		
Additional information					
Prices for labor and materials.					

Table II-K – Prices for Underground Switchgear

	Price per kW of anticipated power demand				
Joint use	Pad-mou	ınted	Mar	nhole	
Type of supply	Electrical work	Civil structure	Electrical work	Civil structure	
1 Underground	\$25	\$13	\$25	\$13	
2 Overhead	\$6	N/A	\$6	N/A	
Exclusive use	Load-bearing chamber	Ai	nnex	Manhole	
Type of equipment		Price per equipm	ent unit or group		
3 1 device, 3-way	\$109,6	500	\$83,500	\$96,000	
4 1 device, 4-way	\$123,9	900	-	-	
5 2 devices; 3-way/ 2-way or 3-way/3-way	\$214,7	700	\$130,500	\$138,400	
Protective fuses		Price per fu	se or fuse set		
<b>6</b> 1 fuse	\$8,0	080	\$8,080	_	
<b>7</b> 3 fuses	\$20,7	700	\$20,700	-	
	Additional in	formation			

<sup>•</sup> Lines 6 and 7: Prices of labor and materials for installation of a fuse or fuse set.

Table II-L – Prices for Temporary Supply

	Low-voltage supply		
Type of work	Price per job		b
Temporary overhead supply	Single-p	hase	Three-phase
1 Addition of maximum 2 low-voltage spans	\$	1,150	\$1,370
2 Addition of transformer rated			
- 25 kVA or less	\$	\$2,870	
- 50 kVA or more	\$	\$4,370	
3 Addition of maximum 2 low-voltage spans and a transformer rated			
- 25 kVA or less	\$-	\$4,030	
- 50 kVA or more	\$	\$5,780	
Temporary underground supply	200 A	320 or 400 A	
4 Temporary underground connection with no cable addition or line modification, and with or without installation of a cable pulling eye	\$850	\$850	\$850
5 Addition of maximum 30 m of cable	\$4,930	\$6,750	\$8,560
Temporary metering – Amount per <i>met</i>	er		
6 Low-voltage, single-phase (120/240 V), self-contained metering			\$280
7 Low-voltage, three-phase (347/600 V), self-contained metering			\$440
8 Low-voltage, single-phase (120/240 V), instrument transformer metering			\$700
9 Low-voltage, three-phase (347/600 V), instrument transformer metering			\$1,210
10 Medium-voltage			\$3,110

Table II-M – Allowances, Rates and Prospective Cost of Capital

	Allowance for overhead supply of 5 MVA or more at medium voltage				
1	1 Allowance \$363/kW				
2	Allowance adjustment charge	\$7	3/kW		
	Rates and provisions of detailed cost-	of-work calculation			
Cor	nponents	Overhead	Underground		
3	Acquisition fee	3%	3%		
4	Contract management fee	3%	11%		
5	Materials management fee	20%	16%		
6	Minor materials fee	9%	7%		
7	Engineering and management fee	22%	26%		
8	Provision for future operation and maintenance	Overall: 21%	12%		
		In a public right-of-way: 18% In a back lot: 23%			
9	Provision for end-of-asset-life reinvestment	In a back lot: 12%	22%		
Prospective cost of capital					
10	Prospective cost of capital		5.489%		

# 

Terminology and Applicable Units of Measurement

#### **CHAPTER 21**

## Definitions, Interpretation and Units of Measurement

#### 21.1 Definitions and interpretation

In these conditions of service, the following terms have the meanings given here:

**agreement for major work:** a document sent to the *customer* by Hydro-Québec in preparation for performing *major work* as provided for in Section 10.1.3, the *customer's written* acceptance being required before Hydro-Québec will undertake the work;

**annex:** any *civil work* attached to or incorporated into a *building* by means of a common wall so that it constitutes a separate *building* designed for installation of a *distributing substation*;

anticipated apparent power demand: an estimate of the highest apparent power demand, expressed in kilovoltamperes (kVA), calculated by Hydro-Québec on the basis of the power requirement;

anticipated power demand: an estimate of the average annual billing demand, expressed in kilowatts (kW), calculated by Hydro-Québec on the basis of the power requirement;

apartment building: all or part of a building comprising more than one dwelling;

**available power:** the amount of power, expressed in kilowatts (kW), which the *customer* may not exceed for a given *service contract* without the authorization of Hydro-Québec;

**basic service:** the service offered by Hydro-Québec in which the "charge for work on the system" is billable to the *customer* for any *connection request*, as provided for in Section 8.1;

**building:** any structure not in contact with any other structure, except a house or a place of business which is semidetached or attached, each one then being considered a *building*;

**Bylaw No. 411:** the bylaw establishing the conditions governing the supply of electricity [(1987) 119 G.O. II, 1918] and amended by Bylaws No. 439 [(1989) 12 G.O. II 1844], No. 475 [(1989) 121 G.O. II, 5667], No. 500 [(1990) 122 G.O. II, 3610] and No. 526 [(1992) 124 G.O. II, 2474];

*cable section:* a length of electric cable, usually less than 300 m, connecting two components (cable vault, *pad*, connection box or other) and having a splice at each end;

*civil works:* all civil engineering work required to complete a project, such as the digging of trenches, the laying of direct-buried duct banks, the construction of concrete-encased duct banks, the compacting of backfill materials and the erecting of structures;

**common areas and collective services:** areas and services of an *apartment building*, *community residence* or *rooming house* that are used exclusively by the occupants of such *apartment building*, *community residence* or *rooming house*;

**communicating meter:** a meter with two-way communication that can receive and send information by radio-frequency or through a telephone connection. This enables it to interact with an advanced metering infrastructure, in particular to collect electricity consumption data. A meter with one-way communication is considered a communicating meter in territories where the advanced metering infrastructure has not been deployed;

**community residence:** a private building or part of a private building which is for habitation purposes, contains dwellings or rooms, or both, that are rented or allocated to different occupants, and has common areas and collective services. Also considered to be community residences, for purposes of these conditions of service, are intermediate resources, as defined in the Act respecting health services and social services, that meet the criteria stated in this paragraph;

connection point: the point where the distribution service loop meets the customer's service entrance, separating the equipment belonging to Hydro-Québec from that belonging to the customer, except for the metering equipment installed by Hydro-Québec. If there is no distribution service loop, the supply point on the distribution line is considered to be the connection point;

**connection request:** a request to supply electricity to a new *electrical installation* or to an existing one that requires work;

**consumption period:** a period during which electricity is delivered to the *customer* and which extends between the two dates used by Hydro-Québec for calculation of the bill;

contract: see service contract;

**contribution agreement:** an agreement signed by the applicant and Hydro-Québec including in particular a description of the work to be performed, the cost of the work and, if applicable, the allowance;

current rating: the electrical current (ampacity) indicated on the service box;

**customer:** an individual, a body corporate, a partnership, an agency acting through its agent, or an organization that is responsible for one or more *service contracts*, that requests the connection of an *electrical installation* or that requests or causes work to be done;

**customer's service entrance:** the portion of the customer's electrical installation from the service box or customer substation, as the case may be, to the connection point on the power distribution system;

**customer substation:** a transformer substation that does not belong to Hydro-Québec, is located on the *load side* of the *connection point*, and supplies electricity to the *service address*;

**day:** any day in the year including holidays, that is, 365 days a year (366 for leap years). When a period of time is expressed in days, the day marking the starting point is not counted; the count begins the next day and stops at the end of the last day at 23:59. If the last day of the period falls on a Saturday, Sunday or holiday, the period is extended until the end of the next business day at 23:59.

**delivery point:** the point to which Hydro-Québec delivers electricity and from which the *customer* may use such electricity. It is located immediately on the *load side* of Hydro-Québec's *metering equipment*. In cases where Hydro-Québec does not install *metering equipment*, or where it is on the *line side* of the *connection point*, the *connection point* is considered to be the *delivery point*;

**detailed cost-of-work calculation:** method for calculating the cost of work, presented in Section 9.1.2 and making use of the table in Schedule IV;

**distributing substation:** a transformer substation that belongs to Hydro-Québec, except for the *civil works*, is located on the property of the *service address*, and supplies *low voltage* to a *service box* with a rating of more than 600 A;

**distribution line:** a part of the *power distribution system* that includes all the *support structures*, conductors, *civil works* and equipment required for the distribution of electricity at *medium voltage* and *low voltage*, located

- in a public right-of-way;
- on private property supplying more than one building; or
- on two or more adjacent lots.

**distribution service loop:** the portion of the *power distribution system* from the *supply point on the distribution line* to the *connection point* supplying a single *building*;

**domestic rate:** a rate under which electricity delivered for *domestic use* is billed according to the conditions set forth in the *Rates*:

domestic use: the use of electricity exclusively for habitation in a dwelling;

**dual-energy system:** a central system for space heating, or space and water heating, designed in such a way that electricity can be used as the main heating source and a fuel as the auxiliary source;

**dwelling:** a private service address equipped with lodging and eating facilities, including in particular a kitchen or kitchenette, along with a private entrance and a complete sanitary facility, in which the occupants have free access to all rooms. A complete sanitary facility includes a sink, a toilet and a bath or shower;

**electrical installation:** any electrical equipment, which includes any generating equipment connected and operated in parallel to the *power distribution system*, and any *customer substation* to which Hydro-Québec supplies or is to supply electricity and which is located on the *load side* of the *connection point*. The *electrical installation* includes the *customer's service entrance*;

**electricity service:** the energizing of the *connection point* and the maintaining of voltage there, whether or not electricity is used;

**energy:** expressed in kilowatthours (kWh), the power used by an *electrical installation* over a given period of time. It corresponds to the product of power demand, expressed in kilowatts (kW), and the duration of use, expressed in hours (h);

Energy (kWh) = power demand (kW) x duration of use (h).

**estimate for major work:** the determination by Hydro-Québec of the cost of *major work* as provided for in sections 10.1.3 and 10.1.4, for the purpose of preparing an *agreement for major work*;

**flat-fee work:** work that is not technically complex, that does not require a *detailed cost-of-work calculation*, and to which a flat fee applies. *Flat-fee work* is work covered by the "charge for work on the system" in Table I-A, Chapter 20, or by the "price of *flat-fee work*" in Table I-B, Chapter 20;

**high-risk contract:** a service contract for non-domestic use held by a customer who has been assigned a credit rating in the "High risk" column of the tables in sections 17.2.1 and 17.2.2;

high voltage: nominal phase-to-phase voltage of 44 kV or more;

*inaccessible location:* a site which Hydro-Québec cannot reach with the equipment it has, in order to do the work at the lowest cost;

*in default:* a situation that occurs when the *customer* does not pay, by the due date, a bill sent under these conditions of service, does not comply with the conditions of a *payment arrangement*, or does not pay an installment provided for in Section 17.3.4;

*in writing:* any communication sent by the *customer* to Hydro-Québec through the Hydro-Québec Web site, in particular from the Customer Space, as well as by e-mail, postal mail or fax, and by Hydro-Québec to the *customer* through the Customer Space, as well as by e-mail, postal mail or fax;

large power: a minimum billing demand of 5,000 kW or more, as set out in the Rates;

*line side:* on an electric circuit, the side from which the power originates. For example, the *distribution line* is on the *line side* of the *service address*;

**load side:** on an electric circuit, the side toward which the power flows. For example, the *service address* is on the *load side* of the *distribution line*;

**local underground line:** that part of the ducts, cables and equipment in the *medium-voltage* or *low-voltage* underground *distribution line* that supplies electricity directly to *electrical installations* on either side of the *distribution line*;

low voltage: nominal phase-to-phase voltage not exceeding 750 V;

*major work:* work of a technical complexity performed on the *power distribution system* and requiring the production of a signed and sealed engineering drawing;

**maximum power demand:** the higher of the following values:

- a) the highest real power demand in kilowatts, or
- b) 90% of the highest apparent power demand in kilovoltamperes for domestic, *small-power* and *medium-power* service contracts, or 95% for *large-power service contracts*;

medium power: a minimum billing demand of less than 5,000 kW, as set out in the Rates;

**medium voltage:** nominal phase-to-phase voltage of more than 750 V, but less than 44,000 V. The term "25 kV" means three-phase voltage of 14.4/24.94 kV, wye, grounded neutral;

**meter:** see metering equipment;

**metering equipment:** the meter, current transformer, voltage transformer, indicator, auxiliary recording device, auxiliary control unit, terminal testing box, cabling, communication links and any other device belonging to and used by Hydro-Québec for metering electricity;

**minimum load density:** the minimum ratio between the total transformer capacity of *electrical installations* and the number of kilometres of *distribution line*. This ratio, based on a distance of at least 2 km of lines, must be at least 6 MVA/km:

minor work: work that is standardized by Hydro-Québec, i.e., that does not require custom engineering;

**month:** the period between a date in one calendar *month* and the corresponding date in the following *month*;

**municipal water supply or sewer system:** a system of water or sewer lines and structures owned by a municipality and serving more than 100 properties;

**non-communicating meter:** an electricity *meter* that does not emit radio-frequencies and therefore must be read on site by a Hydro-Québec employee;

non-payment: see in default;

**off-grid system:** a system for the generation and distribution of electricity, independent of the main power system; **outbuilding:** any structure or feature appurtenant to a *building*;

*pad:* any structure belonging to the *customer* or Hydro-Québec and designed to support above-ground electrical equipment;

**payment arrangement:** an agreement providing for amounts owed to Hydro-Québec to be paid in accordance with terms and conditions other than those in Section 4.3.1. The *payment arrangement* must allow repayment of the debt and may also cover the cost of anticipated consumption over its duration;

**power distribution system:** "a network of installations for the distribution of electric power once it leaves transformation substations, including *distribution lines* at voltages below 44 kV and any equipment located between such lines and *connection points* to consumer installations and, in the case of independent *electric power distribution systems* of the electric power distributor, a network of works, machinery, equipment and installations used for the production, transmission and distribution of electric power," according to Section 2 of the *Act respecting the Régie de l'énergie* (CQLR, chapter R-6.01);

**power factor:** the ratio, expressed as a percentage, of the highest real power demand, expressed in kW, to the highest apparent power demand, expressed in kVA;

**power requirement:** the sum of the kilowatt (kW) ratings of the *customer*'s electrical appliances and equipment to be connected, as declared on the *connection request* form or on the "Déclaration de travaux" (statement of work) form provided by the Régie du bâtiment du Québec;

**primary overhead line:** a distribution line that is installed on wood poles and does not include any low-voltage cable or transformer equipment.

**primary underground line:** that part of the ducts, cables and equipment in the *medium-voltage* underground *distribution line* that brings power from either a power corridor or an overhead *distribution line* up to the switching and protection devices on the local underground *distribution line* or up to the first load-splitting point;

**proposal for minor work:** a document sent to the *customer* by Hydro-Québec in preparation for performing *minor work* as provided for in Section 10.1.2, the *customer's written* acceptance being required before Hydro-Québec will undertake the work;

**public road:** a surface of land or of a civil structure (such as a bridge or dam) on which have been constructed one or more roadways that are maintained, open to public use and accessible to heavy vehicles year-round;

**Rates:** the document that sets forth the electricity rates of Hydro-Québec in its distribution activities, as approved by the Régie de l'énergie;

regular working hours: the hours between 8 a.m. and 5 p.m. from Monday to Friday, except holidays;

**residential project:** a project whose scope is agreed on by the *customer* and Hydro-Québec and that includes at least 4 *buildings* in which each *dwelling* will be eligible for a *domestic rate*;

**risky contract:** a service contract for non-domestic use held by a customer who has been assigned a credit rating in the "Risky" column of the tables in sections 17.2.1 and 17.2.2;

**rooming house:** a building or part of a building devoted exclusively to habitation purposes in which lodgings, each of no more than two rooms and not constituting a dwelling, are let to different occupants, as well as common areas and collective services:

**self-service:** a communication mode that does not require speaking with a Hydro-Québec customer services representative or in which information can be submitted *in writing* and processed without the assistance of such a representative;

service address: any location on the load side of the connection point served by Hydro-Québec;

**service box:** a metal box or cabinet housing the main breaker or switch and constructed so that it may be locked or sealed and the switch or circuit breaker may be manually operated when the *service box* is closed;

**service contract:** an agreement entered into between a *customer* and Hydro-Québec for *electricity service* delivered to a *service address*;

**service entrance:** see customer's service entrance;

**service loop:** see distribution service loop;

service request: a request submitted to Hydro-Québec for electricity service to supply a service address;

**servitude:** a right that is recorded in a deed of *servitude* published in the land register and that allows, in particular, the installation, operation, maintenance and replacement of a *distribution line*;

small power: a power demand that is billed only if it exceeds 50 kW, as set out in the Rates;

steady-state voltage: the effective value of the voltage, expressed in volts (V), evaluated over a 10-minute interval;

**supply point on the distribution line:** the point on the distribution line at which the distribution service loop begins. If there is no distribution service loop, the connection point is considered to be the supply point on the distribution line;

**support structures:** all equipment, such as poles, guy wires and anchors, needed to support overhead conductors;

**swimming pool:** a permanent artificial pond having any of various shapes and sizes, designed for activities such as swimming;

**technical requirement:** anything needed to make the *customer's electrical installation* compatible with Hydro-Québec's system or to meet any other requirement related to the installation and operation of the system;

**temporary supply:** supply of electricity to an *electrical installation* which is expected to operate for 5 years or less and then to cease operations definitively. Supply to certain *electrical installations* such as construction sites and traveling circuses is always considered temporary, even if it lasts more than 5 years;

winter period: the period from December 1 through March 31 of the next year;

written: see in writing.

#### 21.2 Units of measurement

For the purposes of these conditions of service,

- a) current rating is expressed in amperes (A);
- b) voltage is expressed in volts (V) or kilovolts (kV);
- c) the symbol AI designates aluminum;
- d) the symbol Cu designates copper;
- e) the term ACSR means "aluminum conductor steel reinforced";
- f) conductor gauge is expressed in thousands of circular mils (kcmil);
- g) power and power demand are expressed in watts (W) or kilowatts (kW);
- h) apparent power is expressed in voltamperes (VA), kilovoltamperes (kVA) or megavoltamperes (MVA);
- i) energy is expressed in watthours (Wh) or kilowatthours (kWh).

Schedules, Illustration and Index

#### **SCHEDULE I**

# Information Required from the Customer

#### **Mandatory information:**

٦)	type of use (domestic, commercial, industrial, institutional or agricultural);
a)	type of use (doffiestic, commercial, muustrial, institutional of agricultural),

- b) main activities for which the electricity will be used, in the case of non-domestic use;
- c) service address;

Service address:

d) billing address.

#### Customer:

- a) name;
- b) current address;
- c) previous address;
- d) main telephone number;
- e) social insurance number (if a physical person) or NEQ (if a legal entity);
- f) status (owner, tenant, co-tenant).

*Electrical installation* (if there is one):

- a) current rating;
- b) loads connected:
  - lighting;
  - · heating;
  - ventilation;
  - · motive power;
  - · processes;
  - · other.

Power requested.

Date for which electricity service is requested.

#### Mandatory information for a *connection request*:

Type of service loop (overhead, underground or riser).

Cadastral plan, subdivision plan or layout plan of the *building* and desired location of the *connection point* (if requested by Hydro-Québec).

#### Optional information (for all types of requests):

- a) e-mail address;
- b) other telephone numbers.

#### **SCHEDULE II**

#### Public Bodies and Financial Institutions

#### a) Public bodies:

- The governments of Canada and of Québec and their departments;
- · Government agencies:
  - Bodies in which a majority of the members are appointed by the government or a minister, whose
    officials or employees are appointed or remunerated in accordance with the *Public Service Act* (CQLR,
    chapter F-3.1.1) or the *Public Service Employment Act* (RSC 1985, chapter P-33), or at least half of whose
    share capital is provided from the Consolidated Revenue Fund;
- · Health or social services institutions:
  - Public institutions within the meaning of the Act respecting health services and social services (CQLR, chapter S-4.2) or the Act respecting health services and social services for Cree Native persons (CQLR, chapter S-5), amended by Section 20 of Chapter 23 of the Statutes of 1994;
  - Regional health and social services bodies established under the Act respecting health services
     and social services and regional health and social services councils established under the Act respecting
     health services and social services for Cree Native persons;
  - The Corporation d'hébergement du Québec, governed by the Act respecting health services and social services;

#### Municipal bodies:

- The Communauté métropolitaine de Montréal, the Communauté métropolitaine de Québec,
   their transit corporations, the Réseau de transport de Longueuil, municipal transit corporations
   and the Municipalité régionale de comté du Fjord-du-Saguenay;
- Municipalities, county municipalities, regional county municipalities and bodies constituted as agents of any of such municipal bodies or otherwise subject to their authority;
- · Educational bodies:
  - School boards, public schools and the Conseil scolaire de l'île de Montréal;
  - General and vocational colleges governed by the General and Vocational Colleges Act (CQLR, chapter C-29);
  - Bodies incorporated under the Act respecting the Université du Québec (CQLR, chapter U-1).

#### b) Financial institutions:

- Banks under the Bank Act (RSC, 1985, chapter B-1.01);
- Savings and credit unions governed by the Savings and Credit Unions Act (CQLR, chapter C-4);
- Insurance companies within the meaning of the Act Respecting Insurance (CQLR, chapter A-32);
- Trust companies within the meaning of the Act respecting trust companies and savings companies (CQLR, chapter S-29.01).

#### SCHEDULE III

## Supply Voltage Conversion

#### Compensation for voltage conversion

- a) Compensation for the addition, modification or replacement of a transformer by a dual-primary transformer installed after the date of the conversion notice. This compensation applies only once per transformer and corresponds to the difference between
  - the cost of the transformer designed to receive electricity at both 25 kV and the existing voltage; and
  - the cost of a transformer designed to receive electricity at 25 kV only.

It is paid once the dual-primary transformer has been energized.

- b) The "credit for supply at medium or high voltage" specified in the Rates for 25 kV.
  - This credit applies as of the first complete *consumption period* in which the capacity of the transformers installed and capable of receiving 25-kV electricity allows the *customer* to use all of the agreed-on *available power*.
- c) The reasonable cost of materials and labor paid by the *customer* to allow energizing of the *electrical installation* at the time of conversion to 25 kV.
- d) The reasonable cost paid by the *customer* to dismantle the *electrical installation* and *civil works* that have to be dismantled for conversion purposes, excluding costs of decontaminating and restoring the property.
- e) The replacement value of the electrical equipment replaced, calculated according to the method set out below, on condition that the transformers
  - were installed before April 15, 1987, or between April 1, 2008, and March 31, 2013, unless Hydro-Québec sent the *customer* a *written* notice specifying that the *electrical installation* was to be designed to receive 25 kV and another voltage; and
  - · are not able to receive electricity at 25 kV; and
  - are no longer used after the voltage conversion.
- f) The cost of the feasibility study paid for by the customer to determine the most appropriate mode of supply, up to a maximum of \$10,000, if applicable.
- g) The cost of installing a disconnecting cabinet or disconnecting chamber that you have paid, up to a maximum of \$60,000, if applicable.

#### Method for establishing replacement value of customer's electrical equipment

Replacement value is based on an annual depreciation of 4% for each *customer substation* component that will no longer be used because of voltage conversion, and is calculated according to the following formula:

$$C = A (100 - (4 \times B)) / 100$$

#### where:

A = cost of equivalent new equipment installed, including materials, labor and overhead

B = age of the component

C = depreciated replacement value

The depreciated replacement value C cannot be less than 20% of A.

#### SCHEDULE IV

# Calculation of Cost of Work

			Under	ground
	Cost component	Overhead	Electrical work	Civil works
		Labor and equi	pment	
1	Labor and equipment needed to carry out the work and access the site	Costs in effect	Costs in effect	-
		Goods and se	rvices	
2	Procurement of third-party goods and services needed to carry out the work	Costs in effect	-	Estimated costs
3	Acquisition fee	Rate indicated in Table II-M, Chapter 20, multiplied by line 2	-	Rate indicated in Table II-M, Chapter 20, multiplied by line 2
4	Contract management fee	Rate indicated in Table II-M, Chapter 20, multiplied by line 2	-	Rate indicated in Table II-M, Chapter 20, multiplied by line 2
5	Total labor, equipment, goods and services	Sum of lines 1 to 4	Sum of lines 1 to 4	Sum of lines 1 to 4
		Materials	5	
6	Materials needed for power line construction	Costs in effect	Costs in effect	Costs in effect
7	Acquisition fee	Rate indicated in Table II-M, Chapter 20, multiplied by line 6	Rate indicated in Table II-M, Chapter 20, multiplied by line 6	Rate indicated in Table II-M, Chapter 20, multiplied by line 6
8	Materials management fee	Rate indicated in Table II-M, Chapter 20, multiplied by line 6	Rate indicated in Table II-M, Chapter 20, multiplied by line 6	Rate indicated in Table II-M, Chapter 20, multiplied by line 6
9	Minor materials fee	Rate indicated in Table II-M, Chapter 20, multiplied by line 6	Rate indicated in Table II-M, Chapter 20, multiplied by line 6	Rate indicated in Table II-M, Chapter 20, multiplied by line 6
10	Total materials	Sum of lines 6 to 9	Sum of lines 6 to 9	Sum of lines 6 to 9
11	Total labor, equipment, goods, services and materials	Sum of lines 5 and 10	Sum of lines 5 and 10	Sum of lines 5 and 10

		Owerlb and	Under	erground	
	Cost component	Overhead	Electrical work	Civil works	
		Materials (co	ont.)		
12	Provision for end-of- asset-life reinvestment	Rate indicated in Table II-M, Chapter 20, multiplied by line 11, if applicable	Rate indicated in Table II-M, Chapter 20 multiplied, by line 11	-	
13	Engineering and request management fee	Rate indicated in Table II-M, Chapter 20, multiplied by line 11	Rate indicated in Table II-M, Chapter 20, multiplied by lines 11 and 12	Rate indicated in Table II-M, Chapter 20, multiplied by line 11	
14	Provision for future operation and maintenance	Rate indicated in Table II-M, Chapter 20, multiplied by line 11	Rate indicated in Table II-M, Chapter 20, multiplied by line 11	-	
15	Subtotal: Cost of work	Sum of lines 11 to 14	Sum of lines 11 to 14	Sum of lines 11 to 14	
	Servitudes				
16	Acquisition of servitudes	Estimated costs	Estimated costs	Estimated costs	
17	Total cost of work	Sum of lines 15 and 16	Sum of lines 15 and 16	Sum of lines 15 and 16	

#### **SCHEDULE V**

# Calculation of Prices for Extension or Modification of an Underground Distribution Line

If your *connection request* requires the extension or modification of an underground *distribution line*, Hydro-Québec uses the following three-step method to calculate the amount you have to pay:

### Step 1: Determine the cost of extending or modifying the underground distribution line Hydro-Québec adds up the cost of the cable, transformers and switchgear, taking into account the particular specifications of your connection request. For the cable a) The number of sections of underground cable multiplied by b) the "price for assembly of an underground cable section – cable pulling and splicing," according to the type of supply, as indicated in Table II-H, Chapter 20 plus c) the number of metres of underground cable multiplied by d) the "price per metre of underground cable," according to type of cable, as indicated in Table II-I, Chapter 20 plus e) the "price for risers," according to the type of supply, as indicated in Table II-G, Chapter 20 For transformers Joint use a) The number of kW of anticipated power demand in the customer's connection request multiplied by b) the "price for underground transformers," according to the type of supply, as indicated at lines 1 and 3 of Table II-J, Chapter 20 **Exclusive** use The "price for underground transformers," according to the type of transformer installed, as indicated in Table II-J, Chapter 20

For switchgear	Joint use
	<ul> <li>a) The number of kW of anticipated power demand in the customer's connection request multiplied by</li> <li>b) the "price for underground switchgear" indicated at line 1 of Table II-K, Chapter 20.</li> </ul>
	Exclusive use
	The "price for underground switchgear," according to the type of apparatus installed, and, if applicable, the amount indicated in Table II-K, Chapter 20

#### Step 2: Calculate the value of the applicable basic service

#### Overhead line

Hydro-Québec adds up the cost of the components below, taking into account the particular specifications of your *connection request*.

# For the number of metres of line

- a) The number of metres included in *basic service* for extension of an overhead *distribution line* multiplied by
- b) the "price per metre for overhead line extension in a public right-of-way" for a *medium-voltage* system, according to the type of supply, as indicated in Table II-B, Chapter 20

#### and/or

Joint use

c) the sum of the "price for overhead work" and the "price for overhead equipment" indicated in tables II-C and II-D, Chapter 20, for all applicable components.

- a) The number of kW of *anticipated power demand* in the *customer's connection request* multiplied by
- For transformers

  b) the "price for underground transformers," according to the type of supply, as indicated at lines 2 and 4 of Table II-J, Chapter 20

#### Exclusive use

The "price for overhead equipment" indicated in Table II-D, Chapter 20, for all applicable components (materials and labor).

	Joint use
	a) The number of kW of anticipated power demand in the customer's connection request
	multiplied by
For switchgear	b) the "price for underground switchgear" indicated at line 2 of Table II-K, Chapter 20
	Exclusive use
	The "price for overhead equipment" indicated in Table II-D, Chapter 20, for all applicable components (materials and labor).
and/or	
Underground line	
Hydro-Québec adds up specifications of your co	o the cost of the cable, transformers and switchgear, taking into account the particular connection request.
	a) The number of underground <i>cable sections</i>
	multiplied by
	b) the "price for assembly of an underground <i>cable section</i> – cable pulling and splicing," according to the type of supply, as indicated in Table II-H, Chapter 20
	plus
For the cable	c) the number of metres of underground cable
	multiplied by
	d) the "price per metre of underground cable," according to cable type, as indicated in Table II-I, Chapter 20
	plus
	e) the "price for risers," according to the type of supply, as indicated in Table II-G, Chapter 20
	Joint use
	a) The number of kW of anticipated power demand in the customer's connection request
	multiplied by
For transformers	b) the "price for underground transformers," according to the type of supply, as indicated at lines 1 and 3 of Table II-J, Chapter 20
	Exclusive use
	The "price for underground transformers," according to the type of transformer installed, as indicated in Table II-J, Chapter 20

	Joint use	
For switchgear	<ul> <li>a) The number of kW of anticipated power demand in the customer's connection request multiplied by</li> <li>b) the "price of underground switchgear" indicated at line 1 of Table II-K, Chapter 20</li> </ul>	
	Exclusive use	
	The "price for underground switchgear," according to the type of apparatus installed, and, if applicable, the amount for the protective fuse or fuses, as indicated in Table II-K, Chapter 20	

#### Step 3: Amount to pay

To determine the amount you must pay, Hydro-Québec calculates the difference between the amounts established in steps 1 and 2:


a) The amount determined in Step 1 for the underground distribution line

less

b) the amount calculated in Step 2 for the value of the applicable basic service.

If you paid an amount for extension or modification of a distribution line, you are entitled to a partial or full refund as provided for in Section 10.4.

# The single-phase overhead power distribution system and its components



#### The single-phase overhead distribution system and its components

- 1 Medium-voltage distribution line
- 2 Pole
- 3 Single-phase cutout
- 4 Surge arrester
- 5 Transformer
- 6 Low-voltage distribution line

- 7 Telecommunications line
- 8 Ground wire
- **9** Guy wire
- 10 Anchor
- 11 Supply point on the line
- 12 Distribution service loop

- 13 Connection point
- 14 Customer's service entrance
- 15 Delivery point
- **16** Meter (a component of the metering equipment)
- 17 200-A service box

# Index

Α	Deposit requirement		
	Due date16, 17, 24, 25, 28, 50, 71, 72, 9		
Access	Equalized Payments Plan (EPP)1		
Access to Hydro-Québec's equipment27, 29, 59	Insufficient funds16, 18, 79		
Access to meter15, 59, 60	Late billing10		
Access to property13, 59	Non-payment		
Difficult to access15	Online Billing		
Agreement	Overdue notice 24, 26		
Agreement for major work	Payment arrangement13, 16, 19, 20, 29, 47, 69, 97, 99		
Agreement regarding a request for high-	Payment methods		
or medium-voltage supply when current	Payment through a third party		
exceeds 260 A9	Pre-Authorized Debit		
Contribution agreement	Sending of bills 16		
Amount	Building22-24, 36, 40, 42, 47, 57, 60, 85, 95-97, 99, 104		
Amount billed49, 77	Building owner		
Amount to pay for work not included in	Continuous service		
basic service31, 36, 37	Refusal of continuous service		
Balance owing	Service interruption27, 29, 55, 67		
Deposit amount			
AmpacitySee Current rating	С		
Anchors			
ApplicationSee Request	Cable section		
Arrears	Cable work		
Assembly of underground cable section See Cable work	Assembly of underground cable section		
Assessment	Underground cable work for low-voltage underground service loops86		
Credit risk assessment			
Credit risk assessment criteria	Calculating the cost of work See Work – Calculating the cost of work		
Scorecard for establishing the credit score			
Scorecula for establishing the create score	Cancellation of work		
В	Changes to service contract		
D. I.I.	Changes during term of contract12, 14, 54		
Back lot	Changes to characteristics of service contract54		
Backup line42, 56	Changes to information provided22		
Balance owing	Changes to technical specifications of electrical installation54		
BankSee Bill – Payment methods; see also Financial institutions	Characteristics of service contract See Service contract		
Basic service	Charge		
Bill	Additional charges4		
Administration charge11, 16, 17, 19, 20, 22-24, 71, 72, 79	Administration charge11, 16, 17, 19, 20, 22-24 71, 72, 79		
Billing based on an estimate15	Charge for insufficient funds 18, 79		
Billing frequency	Charge for travel without work		
Correction of billing errors	Contract administration charge 11, 22-24, 79		
Correction of billing cirors	Meter inaccessibility charge		

#### Schedules, Illustration and Index

Monthly meter reading charge13, 14, 60, 79	D
Special charges44	Day96
Civil works	Debit53, 72
Claim16, 47	Default of paymentSee Non-payment
Clearance	Delay
Compensation48, 66, 67, 106	Late billing16
Compliance	Late payment24, 26, 28
	Demand See Power demand
Conductor 39, 42, 60, 83, 86, 97, 100	Deposit
Connection	Deposit requirement
Consumption	High-risk service contract – Large-power customers 71
Actual consumption15, 18, 21, 72	Interest on deposit26, 71
Collection of consumption data14	Maximum amount of deposit71
Estimated consumption	Reimbursement of deposit26
Meter reading 13-15, 60, 79	Security deposit24
Consumption commitment See Customer commitment	Use of deposit
Contract See Service contract	Disagreement70
Contract holderSee Customer	Disconnect switch40, 43, 84
Contribution agreement	Disconnection
Conversion	Distributing substation61, 64, 95, 96
Conversion notice106	Distribution line extension
Conversion of supply voltage66	of a distribution line
Correction of billing errors19	Distribution line modification See Modification
Cost estimate	Distribution service loop
Cost of workSee Work	Overhead distribution service loop33, 38, 39
Credit	Underground distribution service loop32, 33, 38, 39
Joint-use credit51	Dual energy54, 61, 97
Credit card	Due date16, 17, 24, 25, 28, 50, 71, 72, 97
Credit rating69, 97, 99	
Criteria	E
Credit risk assessment criteria	Farancia Car Camitanda
Criteria for requiring a deposit11	Easement
Current rating33, 35, 36, 38, 39, 61, 64, 65, 80, 81, 96, 101, 103	Electrical installation  Changes during term of contract
Customer9, 12, 16, 18, 20, 22, 23, 29, 31-38, 41, 44,	Changes to technical specifications of electrical installation54
49, 51, 53-64, 66, 67, 71, 72, 75-77, 80, 95-100, 103, 106, 107, 110-114	Electricity consumption
Customer commitment	Electricity service contract See Service contract
Consumption commitment9	Energy consumptionSee Consumption
Power commitment9, 50	EPPSee Equalized Payments Plan
Customer Space 18, 22, 23, 53, 95	Equalized Payments Plan (EPP)18
Customer's service entrance32-34, 57, 58, 96, 97, 100	. , ,

Equipment	I		
Anchors			
Cable section	Impediment to metering <i>See</i> Meter – Impediment to metering		
Conductor39, 42, 60, 83, 86, 97, 100			
Cutout	In default <i>See</i> Non-payment		
Disconnect switch40, 43, 84	In writing		
Guy wire	64-67, 71, 98, 100		
Pole34, 39, 42, 60, 61, 64, 80-83, 86, 99, 100	Inaccessible See Access		
Riser33, 38, 86, 104, 110, 112	Information		
Switchgear85, 86, 91, 110-113	Incorrect information		
Transformer39, 40, 43, 57, 58, 64, 66, 80, 81, 84, 85,	Information required from the customer103		
89, 90, 92, 96, 98, 99, 106, 100-112	Inrush current64		
Error on a bill See Correction of billing errors	Insufficient fundsSee Bill – Insufficient funds		
Error reporting19	Interest19, 26, 47, 71, 73, 74		
Estimate for major work 46, 48, 50, 97	Interruption		
Estimated consumption See Bill – Billing based on			
an estimate	J		
Excessive current demand64			
Extension of a distribution line32	JobSee Work		
F	L Can Duildin a annua		
Failure to paySee Non-payment	Landlord		
Financial institutions24, 50, 105	Late billing16		
Frequency	Late paymentSee Non-payment		
Billing frequency14	Letter of undertaking See Guarantee		
Payment frequency for high-risk contracts72	Limitations and conditions of supply61		
	Line		
G	Backup line42, 56		
	Local line41, 85, 98, 99		
Garage See Outbuilding	Lot line33		
Generating equipment28, 63, 97	Primary line85, 99		
Generator See Protection – Protection for backup generator	Underground distribution line		
Guarantee	Line extension		
Financial guarantee9, 45-50	Extension of an overhead distribution line 34, 39,		
Letter of undertaking50	76, 111  Extension of an underground distribution line 35, 40		
No guarantee55	Extension of an underground distribution line 35, 40, 41, 76		
Payment guarantee71, 72	Load		
Security deposit24	Installed load		
Guy wire	Load density		

M	Outbuilding		
Manual meter reading	Overdue notice24, 28		
Meter Meter	Overhead distribution line 34, 35, 39, 41, 43, 76, 99, 111		
Access to meter	OwnerSee Building owner		
Communicating meter			
Crossed meters	Р		
Impediment to metering	<u></u>		
Inaccessible meter	Past dueSee Non-payment		
Manual meter reading12	Payment		
Meter reading 13-15, 60, 79	Due date16, 17, 24, 25, 28, 50, 71, 72, 97		
Meter tampering14, 19, 20	Equalized Payments Plan (EPP)		
Non-communicating meter	Non-payment		
(non-radio-frequency-emitting meter) 12-14, 98	Payment arrangement13, 16, 19, 20, 29, 47, 69, 97, 99		
Metering	Payment guarantee71, 72		
Overall metering 57	Payment methods		
Separate metering56	Payment through a third party17		
· -	Responsibility for payment16		
Metering equipment	Terms of payment		
Minimum distance to maintainSee Clearance	Payment arrangement 13, 16, 19, 20, 29, 47, 69, 97, 99		
Modification  Modification of a distribution line35, 36, 41-43,	Payment methods17		
50, 76, 88, 110	Period		
Modification of a distribution service loop 33, 38,	Bill correction period		
39, 88	Consumption period14, 43, 66, 72, 96, 106		
	Winter period		
N	Person responsible for contract		
	Phase		
Non-communicating meter (non-radio-frequency-emitting meter)12–14, 98	Single-phase13, 35, 36, 40, 60, 65, 80-90, 92, 114		
	Three-phase		
Non-compliance	•		
Non-payment	Point 32.35 43.59.61.06.07		
Administration charge11, 16, 17, 19, 20, 22-24, 71, 72, 79	Connection point32-35, 43, 58, 61, 96, 97, 99, 100, 104		
Deposit11, 17, 24-27, 71, 72	Delivery point		
Overdue notice24, 28	Supply point		
Service interruption27, 29, 55, 67	Pole34, 39, 42, 60, 61, 64, 80-83, 86, 99, 100		
Notice	Pole riser		
Overdue notice24, 28	PoolSee Swimming pool		
Service interruption notice	Power		
NSF chequeSee Bill – Insufficient funds	Apparent power34-36, 49, 76, 77, 95, 98, 99, 101		
	Available power28, 56, 62, 66, 95, 106		
	Large power98		
0	Medium power		
Off-grid system9, 44, 64, 79, 99	Power requirement		
Online Billing	Real power		
	Small power100		
Opting outSee Meter – Non-communicating meter	Power commitment See Customer commitment		

Power demand	Riser
Anticipated apparent power demand 34-36, 49,	Risk
76, 77, 95	Credit rating
Anticipated power demand 33-36, 43, 45-47, 49, 51, 77, 89, 91, 95, 110-113	High-risk contract25, 26, 28, 69-72, 97
Billing demand43, 49, 77, 95, 98	Risk level69-71
Maximum power demand	Risky contract71, 99
Power factor	
Pre-Authorized Debit53	<u>S</u>
Primary lineSee Line	Safety
Property to be served	Sale of electricity
Proposal for minor work	Seal59
Protection	Security deposit
Protection against electrical incidents	Service address
Protective equipment	Service contract
Safety of persons and property60	Changes during term of contract12, 14, 54
Public right-of-way34, 39, 40, 82, 93, 97, 111	Contract holder
	Service request
<u>Q</u>	Service entrance
Québec Construction Code60	Service interruption
	Service loop
R	Service loopSee Distribution service loop
	Service loopSee Distribution service loop  Service restoration24, 27-29
Rate  Domestic rate11, 21, 47, 63, 97, 99	Service restoration
Rate	Service restoration Service restoration
Rate Domestic rate11, 21, 47, 63, 97, 99	Service restoration  Service restoration
Rate  Domestic rate	Service restoration  Service restoration
Rate Domestic rate	Service restoration  Service restoration
Rate Domestic rate	Service restoration       24, 27-29         Service restoration       28         Servitude       32, 33, 37, 41, 45, 46, 51, 100, 109         Shed       See Outbuilding         Single-phase       13, 35, 36, 40, 60, 65, 80-90, 92, 114
Rate Domestic rate	Service restoration Service restoration
Rate Domestic rate	Service restoration Service restoration
Rate  Domestic rate	Service restoration Service restoration
Rate  Domestic rate	Service restoration       24, 27-29         Service restoration during winter period       28         Servitude       32, 33, 37, 41, 45, 46, 51, 100, 109         Shed       See Outbuilding         Single-phase       13, 35, 36, 40, 60, 65, 80-90, 92, 114         Smart meter       See Meter – Communicating meter         Social Insurance Number       103         Specifications       See Technical specifications         Swimming pool       39, 60, 80, 100         Switchgear       85, 86, 91, 110-113
Rate       Domestic rate	Service restoration Service restoration
Rate       Domestic rate	Service restoration       24, 27-29         Service restoration during winter period       28         Servitude       32, 33, 37, 41, 45, 46, 51, 100, 109         Shed       See Outbuilding         Single-phase       13, 35, 36, 40, 60, 65, 80-90, 92, 114         Smart meter       See Meter – Communicating meter         Social Insurance Number       103         Specifications       See Technical specifications         Swimming pool       39, 60, 80, 100         Switchgear       85, 86, 91, 110-113
Rate       Domestic rate	Service restoration       24, 27-29         Service restoration during winter period       28         Servitude       32, 33, 37, 41, 45, 46, 51, 100, 109         Shed       See Outbuilding         Single-phase       13, 35, 36, 40, 60, 65, 80-90, 92, 114         Smart meter       See Meter – Communicating meter         Social Insurance Number       103         Specifications       See Technical specifications         Swimming pool       39, 60, 80, 100         Switchgear       85, 86, 91, 110-113
Rate       Domestic rate	Service restoration
Rate       Domestic rate	Service restoration       24, 27-29         Service restoration during winter period       28         Servitude       32, 33, 37, 41, 45, 46, 51, 100, 109         Shed       See Outbuilding         Single-phase       13, 35, 36, 40, 60, 65, 80-90, 92, 114         Smart meter       See Meter – Communicating meter         Social Insurance Number       103         Specifications       See Technical specifications         Swimming pool       39, 60, 80, 100         Switchgear       85, 86, 91, 110-113         T       Tampering         Technical specifications       28, 54, 61, 63

#### Schedules, Illustration and Index

Termination of service Termination of contract	See Service contract –
Terms of payment	9, 45, 47
Three-phase35,	36, 40, 65, 80-90, 92, 98
Transformer	
U	
Underground cable work	See Cable work
Underground distribution line 99, 110, 113	35, 36, 39-43, 62, 76, 98,
Underground service for residential Cable work	al projectsSee
Units of measurement	101
Usage	See Consumption
V	
Vegetation clearing	32, 37, 41, 51
Voltage	
25 kV3	39, 65, 66, 84, 92, 98, 106
347/600 V	64, 65, 92
3-wire 600 V	65
High voltage54, 5	55, 58, 62, 65, 66, 97, 106
Low voltage42, 55,	, 57, 58, 64-66, 80, 96-98
Medium voltage49, 54, 580, 97, 98	55, 58, 62, 65, 66, 76, 77,
w	
Web site	53, 98
Winter period	28, 61, 100
Withdrawal of connection request	9, 48, 49
Work	
Cable work	86
Calculating the cost of work	36, 108
Cancellation of workof connection request	See Withdrawal
Completion schedule	
Connection provided by custor (service entrance)	
Major work	
Minor work	
Securing of the distribution sys	
Servitude32, 33, 37	
Temporary supply	

Terms of payment	9, 45, 47
Work included in basic service	31, 35, 36, 50
Work not included in basic service	31, 36, 37, 44
Written	See In writing

Legal deposit – 2nd quarter 2019 Bibliothèque et Archives nationales du Québec 978-2-550-83261-4 (print version) 978-2-550-83262-1 (PDF)

This publication can be consulted online at www.hydroquebec.com/conditions-electricity.

Ce document est également publié en français. *This is a translation of the original french text.* 

